Computer Go

Jens Lehmann

Dresden University of Technology

July 1, 2004

Introduction

Introduction to Go

- popular board game
- invented in China before 2000BC
- brought to Japan 7th century AD
- simple rules, but complex game

Popularity

- most popular in Eastern Asia (Korea, Japan, China)
- professional players, who play the game fulltime
- one of four arts in ancient China along with music, poetry and painting
- popularity in the western world increases

Computer Go

- a lot of research effort
- only moderate success
- all programs can be beaten by average club players

Go is the biggest challenge for AI game programmers today.

Rules of Go

Basic Setup

- played on square board with horizontal and vertical lines
- common sizes 9x9, 13x13 and 19x19
- two players: Black and White (playing alternatingly)
- only one kind of stone
- stones played on intersections of the board
- player must either put a stone on the board or pass
- two consecutive passes end the game



Figure: empty 9x9 go board

Capturing Stones

- stones cannot be moved, but they can be captured
- to capture a group of stones it must be completely surrounded
- being surrounded = there are opponent stones on every adjacent horizontal or vertical intersections
- suicide = a move, which captures one's own stone



Figure: Black moves . . .



Figure: . . . and captures White



Figure: Black's turn



Figure: corner group captured

Ko-rule

- Ko-rule: it is not allowed to repeat the previous board position
- avoids infinite move sequences
- there are different rulesets for Go, some only forbid repeating the *previous*, others forbid repeating *any* board position



Figure: White's turn



Figure: Black must not play F5

Aim of the Game

- evaluating a game depends on the used ruleset, but they have some things in common
- goal: conquer a greater part of the board than your opponent
- dead stones are removed from the board after the end of a game
- dead stones: stones, which cannot avoid capture
- players can discuss about wether a stone is dead or not

Game Evaluation using Chinese Rules

- remove dead stones
- area scoring method: count all controlled intersections of a player
- controlled intersection: empty, but completely surrounded intersection or intersection with an own stone

Game Evaluation using Japanese Rules

- remove dead stones
- territory scoring method: one point for each empty controlled intersection
- substract the stones the opponent has captured



Figure: a final board position



Figure: dead stones removed

Komi

- Black has an advantage, because it moves first
- to compensate this White receives additional points (komi)
- komi varies between 5.5 and 7.5 (independant of board size)
- fraction number avoids draws

Handicap

- handicap balances game between differently skilled players
- Black is always the weaker player in handicap games
- handicap allows Black to put a certain number of stones on the board before White can move

Go ranking system



- created in the 16th century in Japan
- new players get a kyu rank (lower is better)
- competent players get dan rating (higher is better)
- professional players are on an additional dan ranking scale (higher is better)
- difference of one kyu or dan rank: one handicap stone
- difference of one pro dan rank: $\frac{1}{3}$ handicap stone

Common Problems and Terminology

Definition: Point, adjacent Point

Definition (point)

An intersection of a horizontal and vertical line on a Go board is called a *point*.

Definition (adjacent points)

Two points are *adjacent*, if they are neighbours on the same horizontal or vertical line.

Definition: connected, Block, Liberty

Definition (connected)

Two stones are *connected*, if they are on adjacent points and have the same color.

Definition (block)

A *block* is a maximum set of connected stones.

Definition (liberty)

A *liberty* is an empty point adjacent to a stone or a block of stones.



Life and Death

Life and Death: Classifying stones as dead, alive or unsettled is a key concept of Go.

Definition (dead)

A *dead* stone is a stone, that cannot avoid capture.

- capturing dead stones is often a bad move
- Chinese rules: dead stones are removed and captures do not count
- Japanese rules: capturing makes only sense, if more stones are captured than needed for capturing

Eyes

Definition (eye)

An enclosed area providing one sure liberty is called an *eye*.

- an eye can be build by surrounding a small area e.g. a single point
- the opponent cannot fill this area immediately, because this would be a suicide
- opponent must first cover all other liberties of a group, before it can close eye and capture group $\longrightarrow$ this is a sure liberty

alive

Definition (alive)

A group of stones is *alive*, if it cannot be captured by the opponent.

- if a group has two (true) eyes, it cannot be captured by the opponent
- opponent cannot fill both sure liberties at the same time
- some eyes can be destroyed and therefore do not make a group of stones alive $\longrightarrow$ false eyes

false and true eyes

Definition (true eye)

A *true eye* is an eye, that the opponent can only close by destroying all blocks forming the eye or by forcing the player to close the eye.

Definition (false eye)

A *false eye* is an eye, which is not a true eye.

Definition (unsettled)

A group of stones, which is neither dead nor alive, is *unsettled*.



Figure: Life and Death

Territory

- Go has complex strategic component
- some moves do not have immediate consequence, but play a decisive role later in the game
- important for reasoning about the strength of Go programs vs. humans
- example: territory

Territory

Definition (territory)

An area surrounded and controlled by one player is called *territory*.

- goal of Go: claim more territory than opponent
- Which moves gain most territory?



Territory

For surrounding nine points . . .

- . . . twelve stones are needed in the center
- . . . nine stones are needed on the side
- . . . six stones are needed in the corner

At the beginning try to gain control over the corners.

Go strategy

- good player needs feeling for "balance of power" on board
- many stones in corner ensure control over it, but lose control elsewhere
- being too greedy is dangerous, because the opponent can undermine your territory

Conclusion: Seemingly subtle differences can be important later on.

State of the Art in Computer Go

State of the Art in Computer Go

- programs lag far behind their human opponents
- difference in playing strength probably greater than in any other popular board game
- programs are unlikely to reach master level strength anytime soon
- final frontier in computer games research

Computer Play

"If a reasonably intelligent person learned to play Go, in a few months he could beat all existing computer programs. You don't have to be a Kasparov." (Dr. Piet Hut)

- about 10 person years of effort spend for top-level Go programs
- best programs play master level moves often
- full game performance is still very low
- difficult to evaluate strength, because of different playing style
- strength estimated at 15 to 5 kyu

Branching factor

"Brute-force searching is completely and utterly worthless for Go." (David Fotland)

- new term: ply = a move by one of the players, "half" move
- chess: about 35 legal moves per turn
- 9x9 Go: similar to chess
- 19x19 Go: about 200 legal moves per turn
- computing several plies ahead works very well for chess, but not for 19x19 Go

But: Even on a 9x9 Go board computers are not much stronger than on a 19x19 board.

Position Evaluation

- a full position evaluation in Go is a very hard task
- leads to a lot of subproblems
- group status (dead, alive or unsettled) cannot easily be tested $\rightarrow$ often requires locally calculating several plies ahead
- local balance on a board can change significantly with each move

Why are Computers bad at playing Go?

- high branching factor makes looking ahead very expensive
- when looking ahead not even a single position can be easily and accurately evaluated
- in Go other techniques must be used to create good programs (section 5)

Why do Humans play so good?

- often forgotten point of view
- humans quickly recognize subtle differences in Go positions
- can judge early, if a group can be captured or avoid capture
- can sense life and death $\longrightarrow$ do not waste moves in already won or lost fights

Why do Humans play so good?

- humans recognize abstract patterns and draw intuitive conclusions
- feeling, which stones can form a group, and become powerful
- in general good feeling for the stragic component of Go
- strategy is very important in Go
- a good long time strategy can be better than winning a local fight

"The experienced player will often be unable to explain convincingly to a beginner why one move is better than another. A move might be regarded as good because it looks influential, or combines attack and defence, or preserves the initiative, or because if we had not played at that vertex the opponent would have done so; or it might be regarded as bad because it was too bold or too timid, or too close to the enemy or too far away. If these and other qualitative judgments could be expressed in precise quantitative terms, then good strategy could be programmed for a computer, but hardly any progress has been made in this direction." (Dr. I. J. Good, 1965)

Why do Humans play so good?

- humans can "read" Go games very good
- game is mostly static (except captures), stones do not move
- fits human perception $\longrightarrow$ humans can look ahead and evaluate positions very good

Techniques used in Computer Go

What are patterns?

Parts of a pattern:

map	a set of points and their state (black, white or empty)
position	corner, edge or side pattern
context	constraints, which must be satisfied for a pattern match (liberty count, safety of stones on the boundary of a pattern)
information	knowledge, which can be used in case of a pattern match

pattern matching

- two-dimensional pattern must be compared with full board position
- a pattern can have 16 different instances by rotating, flipping and changing colors
- sophisticated filtering techniques used to reduce needed computations
- usually hundreds of patterns match in a board position
- simple technique:
  - save pattern matches
  - during next turn keep all pattern whose situation (map and contraints) has not changed



Figure: two matches of a corner pattern

Usage of a Pattern

- patterns are mostly generated by experts by hand, although approaches for automatic pattern generation exist
- contains information about:
  - strong or bad moves (concerning goals)
  - position evaluation
  - possible connections between groups
- data is evaluated by main routine, because e.g. making an eye can make a group alive or be unimportant, if the group is already alive

Knowledge Representation

- Go has several layers of representation
- simplest representation: status of every field on the board (black, white or empty)
- representations explained here: blocks, territory and groups
- other representations are: connectors/dividors, chains and more

Blocks

- we defined blocks as a maximum set of connected stones
- important property of a block: number of liberties
- heuristic: five or more liberties means local safety
- less than five liberties: use local forward search to determine, if it is save
- tactical and strategical status of a block is not necessarily the same $\longrightarrow$ blocks need to be connected to a higher level structure



Figure: tactical and strategic safety

Territory

- we defined territory as an area surrounded and controlled by a player
- Go programs must recognize wether it controls a part of the board
  - player with more territory wins
  - can be used to connect to other groups

Territory

- finding territory
  - search for areas of high influence and test, if the opponent can destroy the influence or not (if yes: test, if it can be made safe by a move)
  - connectivity method: a point is territory, if an oppponent stone on this point cannot connect to any stone outside, which is alive, and cannot live by iteself
- if potential territory is found the program can compute, if it is possible to create two eyes (or if a stone can be played in opponent territory to avoid the creation of two eyes)

Groups

- high level concept
- loosely defined as set of stones with a certain minmum influence
- groups may become territory
- easily picked out by humans, difficult for computers
- groups not implemented in every program
- today's implementations are reasonable, but not excellent

The Role of Groups

- if a program is able to find groups, it can intelligently extend them (or destroy opponent groups)
- essential at the beginning of a game: long before territories can be secured the board can divided in areas of influence
- necessary for good strategic moves
- recognizing groups is a prerequisite for connecting them; often results in two eyes and a big alive group

Game Tree Search

- brute force full board search works only a few plies ahead
- most top programs rarely use brute force search
- search algorithms restricted to certain goals and mostly local $\rightarrow$ reduces branching factor, needs no complex evaluation function

Single Goal Search

- goal often limited to a single structure e.g. a block or group
- simple example: ladder (a sequence of capturing threats with forced replies of the defender)
- searching only for ladders (a single goal) programs can compute a lot of plies ahead and determine, if a ladder is succesful
- other goals:
  - capture opponent block
  - determine if group is alive/dead
  - connect/cut two blocks
  - eye status
  - local game score



Figure: the ladder

Multiple Goal Search

- like single goal search, but with AND and OR combinations of goals (usually both single goals fail)
- examples:
  - capture block1 or block2
  - make eyes or attack
- heuristics used for determining potential succesful combination of goals
- only rudimentary implemented

Full Board Search

- full board search is not brute force search, because of the high number of legal moves
- only a few promising moves are picked (usually by statically analysing the board)
- still only narrow and shallow
- sometimes used for finding weak enemy groups
- no agreement on full board search

Outlook

Outlook

Possible future directions of research:

- more processing power $\longrightarrow$ stronger program
- neural networks
- combinational game theory
- sure win for high handicaps
- Go on small boards
- special hardware

For further reading I

Martin Mueller.
Computer go.
Artificial Intelligence, 134(1-2):145–179, 2002.

H. Jaap van den Herik, Jos W.H.M. Uiterwijk and Jan van Rijswijck.
Games solved: Now and in the future.
Artificial Intelligence, 134(1-2):277–311, 2002.

For further reading II

Bruno Bouzy and Tristan Cazenave.
Computer go: an ai oriented survey.
Artificial Intelligence, 132(1):39–103, October 2001.

George Johnson.
To test a powerful computer, play an ancient game.
New York Times, July 1997.

The End