

LOGICS FOR THE SEMANTIC WEB

Pascal Hitzler, Jens Lehmann, Axel Polleres

Reader: Patrick Hayes

1 INTRODUCTION

A major international research effort is currently under way to improve the existing World Wide Web (WWW), with the intention to create what is often called the Semantic Web [Berners-Lee *et al.*, 2001; Hitzler *et al.*, 2010]. Driven by the World Wide Web Consortium (W3C) and its director Sir Tim Berners-Lee (inventor of the WWW), and heavily funded by many national and international research funding agencies, Semantic Web has become an established field of research. It integrates methods and expertise from many subfields of Computer Science and Artificial Intelligence [Studer, 2006], and it has now reached sufficient maturity for first industrial scale applications [Hamby, 2012; Hermann, 2010]. Correspondingly, major IT companies are starting to roll out applications involving Semantic Web technologies; these include Apple’s Siri, IBM’s Watson system, Google’s Knowledge Graph, Facebook’s Open Graph Protocol, and schema.org as a collaboration between major search engine providers including Microsoft, Google, and Yahoo!.

The Semantic Web field is driven by the vision to develop powerful methods and technologies for the reuse and integration of information on the Web. While current information on the Web is mainly made for human consumption, it shall in the future be made available for automated processing by intelligent systems. This vision is based on the idea of describing the meaning—or semantics—of data on the Web using metadata—data that describes other data—in the form of so-called *ontologies* [Hitzler *et al.*, 2010]. Ontologies are essentially knowledge bases represented using logic-based knowledge representation languages. This shall enable access to implicit knowledge through logical deduction [Hitzler and van Harmelen, 2010], and its use for search, integration, browsing, organization, and reuse of information.

Of course, the idea of adopting knowledge representation languages raises the question which of the many approaches discussed in the literature should be adopted and promoted to Web standards (officially called *W3C Recommendations*). In this chapter, we give an overview of the most important present standards as well as their origins and history.

The idea that the World Wide Web shall have capabilities to convey information for processing by intelligent systems, and not only by humans, has already been part of its original design [Berners-Lee, 1996]. The World Wide Web was initiated

in 1990, and immediately showed exponential growth [Berners-Lee, 1996]. In the meantime, it has become a very significant technological infrastructure of modern society.

In the 1990s, the Semantic Web vision¹ was mainly driven by the W3C Metadata Activity [W3C Metadata, revision of 23 August 2002] which produced the first version of the Resource Description Framework (RDF) which we will discuss in Section 2. The Semantic Web Activity [W3C Semantic Web, revision of 19 June 2013] replaced the Metadata Activity in 2001, and has installed several standards for representing knowledge on the Web, most notably two revisions of RDF, the Web Ontology Language (OWL) discussed in Section 3, and the Rule Interchange Format (RIF) discussed in Section 4. In Section 5, we discuss some of the particular challenges which must be faced when adopting logic-based knowledge representation languages for the Semantic Web, and in Section 6 we discuss some of the more recent research developments and questions. Note that we give a more detailed technical account for RDF than for OWL and RIF, because the latter are closely related to description logics and logic programming, respectively, and the reader is referred to the corresponding chapters in this volume for additional background and introductions.

2 RDF AND RDF SCHEMA

The Resource Description Framework (RDF) [Manola *et al.*, 2004; Hayes, 2004] comprises a simple data format as well as a basic schema language, called RDF Schema [Brickley and Guha, 2004]. While historically often termed a “metadata” standard, that is, an exchange format for data *about* documents and resources, in the meantime, RDF has been well established as a universal *data exchange format* for classical data integration scenarios, and particularly for publishing and exchanging structured data on the Web [Polleres *et al.*, 2011].

Informally, all RDF data can be understood as a set of subject–predicate–object *triples*, where all subjects and predicates are Uniform Resource Identifiers (URIs)² [Berners-Lee *et al.*, 2005], and in the object position both URIs and literal values (such as numbers, strings, etc.) are allowed. Such a simple, triple based format was chosen since on the one hand, it can accommodate for any kind of metadata in the form of predicate-value pairs, and on the other hand, any more complex relational or object-oriented data can be decomposed into such triples in a fairly straightforward manner [Berners-Lee, 2006].³

Last, but not least, since URIs are being used as constant symbols in the language of RDF, any RDF triple may likewise be viewed as a generalization of

¹The term *Semantic Web* became popular in the aftermath of the widely cited popular science article [Berners-Lee *et al.*, 2001]. We were able to trace the term *Semantic*, in relation to Web, back to a 1994 presentation by Tim Berners-Lee [Berners-Lee, 1994].

²URIs are a generalization of URLs.

³See also the discussion of semantic networks in the chapter on description logics, in this volume.



Figure 1. An RDF triple

a “link” on the Web; as opposed to plain links on the traditional Web, on the Semantic Web, links can be associated with an arbitrary binary relation, which again is represented by a URI. We note that this idea of “typed” links was already part of Tim-Berners Lee’s original design ideas of the Web [Berners-Lee, 1993; Berners-Lee and Fischetti, 1999]. For instance, on the website of the W3C (<http://www.w3.org>, if one wants to state that the page with the URI <http://www.w3.org/DesignIssues/TimBook-old/History.html> was created by Tim Berners-Lee, this fact may be viewed as such a typed link, and consequently as an RDF subject-predicate-object triple, as shown in Fig. 1. Here, the URI `dc:creator` is used to denote the has-creator relation between a resource and its creator. This common view of typed links as labeled edges linking between resources also leads to sets of RDF triples often being called “RDF graphs.”

A distinguished relation within RDF, represented by the URI `rdf:type` is the *is-a* relation, that allows to denote membership to a certain class, where classes are again represented by URIs, for instance the class `foaf:Person`. Another important feature of RDF is that so called “blank nodes” can be used in the subject or object positions of triples to denote unnamed or unknown resources. This allows to model incomplete information in the form of existentials. For instance, the RDF graph in Fig. 2 extends the information in Fig. 1 by the fact that Tim Berners-Lee is a Person, is named “Timothy Berners-Lee” and knows *some* person named “Dan Brickley”.

In the following, after giving a brief history of the RDF standard (Section 2.1), we will present the RDF Data model along with a short discussion of different syntactic representations and the semantics of RDF (Section 2.2). We continue with a discussion of RDF Schema in Section 2.3 and the query language SPARQL in Section 2.4.




Figure 2. An RDF graph with a “blank” (anonymous) node

2.1 Brief History of RDF

The standardisation of RDF has been preceded by two earlier proposals for metadata standards in the form of W3C member submissions, namely (i) the Channel Definition Format [Ellerman, 1997] and (ii) the Meta Content Framework (MCF) [Guha and Bray, 1997]. While the former comprised an XML format with a fixed term of metadata properties for describing information channels on the Web, (somewhat similar to RSS nowadays), the latter (MCF) was strictly extensible and evolved into the first version of RDF [Lassila and Swick, 1999], published in 1999.

Another important metadata initiative from the digital libraries community, Dublin Core [Nilsson *et al.*, 2008], which started around the same time but outside of W3C, later on adopted RDF as a representation syntax, becoming one of the most prominent RDF vocabularies, see Section 2.3 below.

The first official standard recommendation of RDF from 1999 was extended in 2004 by a formal definition of the Semantics of RDF [Hayes, 2004], decoupling the syntactical representation in XML from the RDF data model.

Since then RDF has been used in various contexts and experienced wide adoption. In 2009 the W3C held a workshop on future directions of RDF [Herman, 2009], discussing several extensions but also simplifications of the standard. These extensions are currently under discussion in the ongoing W3C RDF 1.1 working group.⁴

⁴See <http://www.w3.org/2011/rdf-wg/>.

2.2 Different Syntactic Representations and Semantics

There are various serialisations for RDF. Fig. 3 shows different syntactic representations of the six triples in the RDF graph from Fig. 2 in some of these serialisation syntaxes: *N-Triples* [Beckett and McBride, 2004a], cf. Fig. 3(a) is a simple line-based format that serializes one RDF triple per line terminating each line triple with a full-stop ‘.’, enclosing URIs in angle brackets, and literals in quotes; blank nodes are given alphanumeric identifiers (also called *blank node label*, preceded by the prefix ‘_:’). *Turtle* [Beckett and Berners-Lee, 2011], shown in Fig. 3(b) extends the simple N-Triples format by shortcuts making the language more legible, such as namespace prefix and base URI declarations, similar to XML, for abbreviating URIs, as well as the possibility to separate predicate-object groups for triples with the same subject by semicolon, etc. The original RDF/XML [Beckett and McBride, 2004b] syntax was an XML format, that encoded predicates as XML elements, with some abbreviations, such as `rdf:type` triples that refer to class membership of a node can be also directly encoded as XML elements, an example of which is given in Fig. 3(c).

Other serialization syntaxes for RDF, which do not detail herein, include the RDFa [Herman *et al.*, 2013], which provides means to syntactically embed RDF directly as markup into (X)HTML documents. We note that RDFa is particularly similar – and in fact intertranslatable – to other metadata markup formats in HTML such as the increasingly popular microdata format [Hickson, 2012] (which is actively promoted by `schema.org`).

The fundamental difference between RDF and general XML is that the intuition of the *RDF data model* is that the syntactic representation, and also the order of triples is irrelevant, which intuitively implies a notion of equivalence between RDF graphs that is independent of the serialization. While this RDF data model was not formally described in the 1999 version of RDF [Lassila and Swick, 1999], formal definitions were introduced in the specification of 2004, where a formal model-theoretic semantics was defined [Hayes, 2004], and later refined in the recent RDF1.1 specification [Hayes and Patel-Schneider, 2014]. For the exposition of this formal semantics in this chapter, we will stick with a notation similar to the one introduced in [Gutiérrez *et al.*, 2004] rather than quoting the original W3C specification verbatim.

DEFINITION 1. The set of *RDF terms* $U \cup L \cup B$ consists of elements from three infinite disjoint sets U (*RDF URI references*), L (*RDF Literals*), and $B = \{b_j : j \in N\}$ (*RDF blank nodes*).

Note that for the exposition herein we restrict literals to plain string literals, in general RDF also offers language tagged literals, as well as so called “typed” literals, that is, pairs (l, d) where $l \in L$ is a string, and d is either a string language tag [Phillips and Davis, 2006], or, respectively, $d \in D$ is a URI representing a datatype (such as e.g. `http://www.w3.org/2001/XMLSchema#decimal`), see also [Biron and Malhotra, 2004].

```

<http://www.w3.org/DesignIssues/TimBook-old/History.html>
  <http://purl.org/dc/elements/1.1/creator>
    <http://www.w3.org/People/Berners-Lee/card#i> .
<http://www.w3.org/People/Berners-Lee/card#i>
  <http://xmlns.com/foaf/0.1/name>
    "Timothy Berners-Lee" .
<http://www.w3.org/People/Berners-Lee/card#i>
  <http://www.w3.org/1999/02/22-rdf-syntax-ns#type>
    <http://xmlns.com/foaf/0.1/Person> .
<http://www.w3.org/People/Berners-Lee/card#i>
  <http://xmlns.com/foaf/0.1/knows>
    _:b1 .
_:b1
  <http://xmlns.com/foaf/0.1/name>
    "Dan Brickley" .
_:b1
  <http://www.w3.org/1999/02/22-rdf-syntax-ns#type>
    <http://xmlns.com/foaf/0.1/Person> .

```

(a)

```

@base <http://www.w3.org/> .
@prefix dc: <http://purl.org/dc/elements/1.1/> .
@prefix foaf: <http://xmlns.com/foaf/0.1/> .
@prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#> .
@prefix rdfs: <http://http://www.w3.org/2000/01/rdf-schema#> .

<DesignIssues/TimBook-old/History.html> dc:creator <People/Berners-Lee/card#i> .
<People/Berners-Lee/card#i> foaf:name "Timothy Berners-Lee";
                           rdf:type foaf:Person ;
                           foaf:knows [ foaf:name "Dan Brickley" ;
                                       rdf:type foaf:Person ] .

```

(b)

```

<?xml version="1.0" encoding="utf-8"?>
<rdf:RDF xmlns:dc="http://purl.org/dc/elements/1.1/"
         xmlns:foaf="http://xmlns.com/foaf/0.1/"
         xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#">

  <rdf:Description rdf:about="http://www.w3.org/DesignIssues/TimBook-old/History.html">
    <dc:creator rdf:resource="http://www.w3.org/People/Berners-Lee/card#i"/>
  </rdf:Description>

  <foaf:Person rdf:about="http://www.w3.org/People/Berners-Lee/card#i">
    <foaf:name>Timothy Berners-Lee</foaf:name>
    <foaf:knows>
      <foaf:Person>
        <foaf:name>Dan Brickley</foaf:name>
      </foaf:Person>
    </foaf:knows>
  </foaf:Person>
</rdf:RDF>

```

(c)

Figure 3. An RDF Graph in N-Triples, Turtle, and RDF/XML syntax

$$\begin{aligned} \exists x \quad & \text{triple}(\text{history.html}, \text{creator}, \text{card}\#i) \wedge \\ & \text{triple}(\text{card}\#i, \text{name}, \text{"Timothy Berners-Lee"}) \wedge \\ & \text{triple}(\text{card}\#i, \text{type}, \text{Person}) \wedge \\ & \text{triple}(\text{card}\#i, \text{knows}, x) \wedge \\ & \text{triple}(x, \text{name}, \text{"Dan Brickley"}) \wedge \\ & \text{triple}(x, \text{type}, \text{Person}) \end{aligned}$$

(a)

$$\begin{aligned} \exists x \quad & \text{creator}(\text{history.html}, \text{card}\#i) \wedge \\ & \text{name}(\text{card}\#i, \text{"Timothy Berners-Lee"}) \wedge \\ & \text{Person}(\text{card}\#i) \wedge \\ & \text{knows}(\text{card}\#i, x) \wedge \\ & \text{name}(x, \text{"Dan Brickley"}) \wedge \\ & \text{Person}(x) \end{aligned}$$

(b)

$$\begin{aligned} \exists x \quad & \text{history.html}[\text{creator} \rightarrow \text{card}\#i] \wedge \\ & \text{card}\#i[\text{name} \rightarrow \text{"Timothy Berners-Lee"}] \wedge \\ & \text{card}\#i : \text{Person} \wedge \\ & \text{card}\#i[\text{knows} \rightarrow x] \wedge \\ & x[\text{name} \rightarrow \text{"Dan Brickley"}] \wedge \\ & x : \text{Person} \end{aligned}$$

(c)

Figure 4. The RDF Graph from Fig. 2 in first-order logic using ternary encoding with an auxiliary predicate `triple`, unary/binary encoding, and F-Logic-style frames.

DEFINITION 2. A triple $(s, p, o) \in (U \cup B) \times U \times (U \cup B \cup L)$ is called an *RDF triple*, where s is called the *subject*, p the *predicate* and o the *object*.

An *RDF graph* (or, just graph) is a set of RDF triples. A (*proper*) *subgraph* is a (proper) subset of a graph. The universe of a graph G , $universe(G)$, is the set of elements of $U \cup B \cup L$ that occur in the triples of G . The vocabulary V_G of a graph G is the set $universe(G) \cap (U \cup L)$.

Finally a triple, or graph, respectively, is called *ground*, if it does not contain any blank nodes.

The intention of blank nodes in RDF suggests that graphs that only differ in the identifiers used for blank nodes in a concrete syntactical representation should be considered equivalent. Likewise, a graph G_1 that can be turned into a subgraph G_2 of by just renaming blank nodes in G_1 to RDF terms from the universe of G_2 , does not carry more information than G_2 and should thus be considered “entailed” by G_2 . This intention is reflected in the formal model-theoretic semantics of RDF that is – in principle – based on the usual idea of first-order interpretations, with the caveat that elements of U both reflect binary relations and constants at the same time. This leads to a somewhat non-standard definition of interpretations in RDF.

DEFINITION 3. (from [Hayes, 2004, Section 1], slightly simplified.⁵) A *simple RDF interpretation* $I = \langle \Delta, \Delta^P, I^{EXT}, I^{Terms}, L_V \rangle$ over an RDF vocabulary V consists of

- a non-empty domain Δ , i.e. the set of resources, which contains the set $L_V = L \cap V$.
- a non-empty set of properties Δ^P , not necessarily disjoint with Δ
- a function $I^{EXT} : \Delta^P \rightarrow \Delta \times \Delta$, which maps properties to binary relations
- a function $I^{UL} : U_V \cup L_V \rightarrow \Delta$, where $I^{UL}(l) = l$ for $l \in L_V$ (that is, literals are interpreted as themselves)

Finally, satisfaction of an RDF triple, or graph, respectively, under an interpretation I is defined as follows.

DEFINITION 4. An interpretation I satisfies a ground triple $t = (s, p, o)$, written $I \models t$ if $s, p, o \in V$, $I^{Terms}(p) \in \Delta^P$ and $(I^{Terms}(s), I^{Terms}(o)) \in I^{EXT}(I^{Terms}(p))$. Accordingly, a ground RDF graph G is satisfied under I , written $I \models G$ if and only if $I \models t$ for all $t \in G$. Finally, a non ground graph G' is satisfied under I if there exists an extension $[I^{UL} + A]$ of I^{UL} by an assignment $A : B \rightarrow \Delta$, such that

$$([I^{Terms} + A](s), [I^{Terms} + A](o)) \in I^{EXT}(I^{Terms}(p))$$

⁵As mentioned above, as opposed to [Hayes, 2004] we do not consider typed literals nor language tagged literals here, but only plain string literals.

for all $t \in G$.

We note that when looking at Definition 4 that the semantics of blank nodes corresponds exactly to that of existential variables in first-order logic.

Simple entailment between (sets of) RDF graphs is then defined following usual terminology.

DEFINITION 5. Given a set S of RDF graphs (simply) entails a graph G , written $S \models G$, if every interpretation which satisfies every member of S also satisfies G .

Given the intention outlined above, entailment should also be expressible in terms of blank node mappings.

DEFINITION 6. Here, A *map* is a function $\mu : U \cup B \cup L \rightarrow UBL$ preserving URIs and literals, i.e., $\mu(u) = u$ and $\mu(l) = l$ for all $u \in U$ and $l \in L$.

Using such maps, indeed the notion of entailment between two RDF graphs can be defined via the so-called interpolation lemma from [Hayes, 2004, Section 2], rather than in a model-theoretic way.

LEMMA 7 Interpolation Lemma. *Let G_1, G_2 be RDF graphs, then $G_1 \models G_2$ if a subgraph of G_1 is an instance of G_2 , that is, if there exists a map μ , such that $\mu(G_2)$ is a subgraph of G_1 .*

Given G_1, G_2 , deciding whether there exists such a map, boils down to graph homomorphism, which is well known to be an NP-complete problem [Garey and Johnson, 1979], and therefore also NP-completeness of simple RDF entailment follows. Fragments of RDF where entailment is tractable include obviously ground graphs, but also graphs where blank nodes are not used in a cyclic fashion across triples [Pichler *et al.*, 2008]

Obviously, due to this existential semantics of blank nodes there could be inner redundancy in an RDF graph, that is, if there is a homomorphism of G to itself. This redundancy is called *non-leanness* in RDF terminology.

DEFINITION 8. A graph G is lean if there is no map μ such that $\mu(G)$ is a proper subgraph of G .

Unfortunately, as a consequence of the NP-completeness of simple entailment, deciding leanness is also intractable, namely coNP-complete [Gutiérrez *et al.*, 2004].

As a side note, let us note that it has often been criticized by practitioners that the existential treatment of blank nodes, which leads to this high complexity, puts an unnecessary burden on RDF users and implementers, and moreover is not consistently followed in neighbouring standards that build on top of RDF [Mallea *et al.*, 2011].

Relation of RDF to other Logical Formalisms

Another way to show NP-completeness of RDF simple entailment is that RDF entailment can straightforwardly be encoded into entailment of first-order-logic

formulae with existentials and conjunction only, which is well known to be just another formulation of *conjunctive query containment* [Chandra and Merlin, 1977], as shown in the following theorem, which is implicit in [de Bruijn and Heymans, 2007].

THEOREM 9. *Given RDF graphs G_1 and G_2 , we have that $G_1 \models G_2$ if and only if $\mathcal{T}(G_1) \models_{FOL} \mathcal{T}(G_2)$ where a first order theory $\mathcal{T}(G)$ is obtained from a graph G as follows*

$$\mathcal{T}(G) = \exists_{x \in V_G \cap B} x \bigwedge_{(s,p,o) \in G} \text{triple}(s,p,o)$$

An example for this encoding into first-order logic is shown in Fig.4(a); Another common way to encode RDF into first-order logic is using unary predicates for triples modeling an is-a relationship, i.e. `rdf:type` triples, and binary predicates for all other properties, cf. Fig. 4(b). We note though that this representation is of somewhat limited use to encode arbitrary RDF graphs, since for instance blank nodes in the object positions of `rdf:type` triples, which is perfectly fine in the general setting of RDF, would result in a second-order formula.

Note that, translation to a first-order setting in [de Bruijn and Heymans, 2007] uses F-Logic [Kifer *et al.*, 1995] instead of classical first-order logic, which may be considered as syntactic sugar; a respective encoding of RDF triples in F-Logic frame syntax is shown in 4(c).

2.3 RDF Schema (RDFS)

The generic semantics defined by simple RDF interpretations is restricted to interpretations that give a special meaning to the RDF and RDFS vocabulary, that is, for URIs in the `rdf:` (<http://www.w3.org/1999/02/22-rdf-syntax-ns#>) and `rdfs:` (<http://www.w3.org/2000/01/rdf-schema#>) namespaces, cf. the respective prefix declarations in Fig 3(b) for the full URIs. This special semantics allows to express simple ontologies, in the form of (i) defining subclass and subproperty hierarchies, and (ii) defining domain and range restrictions of properties.

The RDFS semantics restricts interpretations as per Def. 3 above such that (i) a set of axiomatic triples, cf. [Hayes, 2004, Sections 3.1 and 4.1] are true in any RDFS interpretation, and (ii) a set of entailment rules holds, that affect how `rdfs:subClassOf`, `rdfs:subPropertyOf`, `rdfs:domain`, `rdfs:range`, etc. triples are interpreted. Figure 5 shows some of the RDFS axiomatic triples. Further, with the encoding of RDF Graphs into first-order logic from Fig. 4(a) in mind, the RDFS entailment rules can to a large extent be approximated by the first-order rules shown in Table 1 (from [Eiter *et al.*, 2008b]). The fact that these rules are simple Horn rules and that RDF is encodable as a set of facts makes reasoning in RDFS thus amenable to simple (Datalog) rule engines. Muñoz *et al.* [Muñoz *et al.*, 2007] have argued for a simpler set of entailment rules that leaves out inferences that might be considered redundant for many applications of RDF and RDFS, for instance leaving out axiomatic triples or rules like the first seven rules in Table 1.

```

rdf:type rdf:type rdf:Property .
rdf:type rdfs:domain rdfs:Resource .
rdfs:domain rdfs:domain rdf:Property .
rdfs:range rdfs:domain rdf:Property .
rdfs:subPropertyOf rdfs:domain rdf:Property .
...

```

Figure 5. Some of the axiomatic triples that are true under the RDFS semantics.

Table 1. RDFS entailment rules, written as first-order Horn rules

$\forall S, P, O$	$(triple(S, P, O) \supset triple(S, rdf:type, rdfs:Resource))$
$\forall S, P, O$	$(triple(S, P, O) \supset triple(P, rdf:type, rdf:Property))$
$\forall S, P, O$	$(triple(S, P, O) \supset triple(O, rdf:type, rdfs:Resource))$
$\forall C$	$(triple(C, rdf:type, rdfs:Class) \supset triple(C, rdfs:subClassOf, rdfs:Resource))$
$\forall S, C$	$(triple(S, rdf:type, C) \supset triple(C, rdf:type, rdfs:Class))$
$\forall C$	$(triple(C, rdf:type, rdfs:Class) \supset triple(C, rdfs:subClassOf, C))$
$\forall P$	$(triple(P, rdf:type, rdf:Property) \supset triple(P, rdfs:subPropertyOf, P))$
$\forall S, P, O$	$(triple(S, P, O) \wedge triple(P, rdfs:domain, C) \supset triple(S, rdf:type, C))$
$\forall S, P, O, C$	$(triple(S, P, O) \wedge triple(P, rdfs:range, C) \supset triple(O, rdf:type, C))$
$\forall C_1, C_2, C_3$	$(triple(C_1, rdfs:subClassOf, C_2) \wedge$ $triple(C_2, rdfs:subClassOf, C_3) \supset triple(C_1, rdfs:subClassOf, C_3))$
$\forall S, C_1, C_2$	$(triple(S, rdf:type, C_1) \wedge triple(C_1, rdfs:subClassOf, C_2) \supset triple(S, rdf:type, C_2))$
$\forall P_1, P_2, P_3$	$(triple(P_1, rdfs:subPropertyOf, P_2) \wedge$ $triple(P_2, rdfs:subPropertyOf, P_3) \supset triple(P_1, rdfs:subPropertyOf, P_3))$
$\forall S, P_1, P_2, O$	$(triple(S, P_1, O) \wedge triple(P_1, rdfs:subPropertyOf, P_2) \supset triple(S, P_2, O))$

By giving a special semantics to the `rdfs:` vocabulary, RDF Schema enables the meta-description of other RDF vocabularies with the goal that additional triples will be entailed under the RDFS semantics. As such RDFS can be considered a simple ontology language, that is used within popular Web ontologies such as the Friend-of-a-friend (`foaf:`) or the Dublin Core (`dc:`) vocabulary descriptions [Brickley and Miller, 2007; Nilsson *et al.*, 2008]. Fig. 6 shows a snippet of the FOAF ontology, along with some additional triples that can be derived from this RDFS ontology together with the RDF graph from Fig. 3.

Relation of RDFS to other Logical Formalisms

A mapping from RDF interpretations to first-order logics is given in [Franconi *et al.*, 2005]. This picture is completed in [de Bruijn and Heymans, 2007], embedding RDF(S) within the framework of F-Logic [Kifer *et al.*, 1995], and also covering the extensional semantics of RDFS [Hayes, 2004, Section 4.2]; additional considerations regarding special semantics of datatype literals (cf. [Hayes,

```
foaf:Person rdfs:subClassOf foaf:Agent .
foaf:knows rdfs:domain foaf:Person .
foaf:knows rdfs:range foaf:Person .
foaf:name rdfs:subPropertyOf rdfs:label .
...
```

(a)

```
<People/Berners-Lee/card#i> rdf:type foaf:Agent .
<People/Berners-Lee/card#i> rdfs:label "Timothy Berners-Lee" .
_:b1 rdf:type foaf:Agent .
_:b1 rdfs:label "Dan Brickley" .
```

(b)

Figure 6. (a) Some RDFS statements from the FOAF vocabulary description, plus (b) some additional triples inferrable from these statements together with the RDF graph from Fig. 3

2004, Section 5]) are covered in [de Bruijn and Heymans, 2010]. Another recent paper by Franconi et al. [Franconi *et al.*, 2013] discusses the logic of the extensional RDF semantics, which is only a non-normative part of the RDF specification, in more detail; remarkably, the authors come to the conclusion that the extensional RDFS semantics can likewise be implemented by a set of inference rules, where the closure is computable in polynomial time in a forward-chaining manner, thus contradicting the conjecture in the original RDF specification that the extensional semantics would “*require more complex inference rules*” [Hayes, 2004, Section 4.2] The core semantics of RDFS, that is reasoning about `rdfs:subClassOf`, `rdfs:subPropertyOf`, `rdfs:domain`, and `rdfs:range` has also been associated in the literature with a minimalistic fragment of the Description Logics family DL-Lite [Calvanese *et al.*, 2007; Poggi *et al.*, 2008; Franconi *et al.*, 2013]; a respective mapping from RDFS statements to DL-Lite is shown in Table 2. We note though that only restricted RDF graphs, that do not use the RDF and RDFS vocabulary in a “*non-standard*” [de Bruijn and Heymans, 2007] fashion (e.g., using `rdfs:subclass` in an object position, or – as already mentioned above – blank nodes in the object position of `rdf:type` triples) are amenable to such an embedding into DL-Lite.

2.4 SPARQL

In order to facilitate queries over RDF and RDFS, the W3C has defined a standard query language, SPARQL [Harris and Seaborne, 2013], which at its core facilitates conjunctive queries over RDF graphs. Such conjunctive queries are called Basic Graph Patterns (BGPs) in SPARQL and syntactically expressed as RDF graphs with (‘?’-prefixed) variables allowed in subject, predicate or object positions of

Table 2. DL-Lite axioms vs. RDF(S)

DL-Lite	RDFS
$A_1 \sqsubseteq A_2$	$A_1 \text{ rdfs:subClassOf } A_2.$
$\exists P \sqsubseteq A$	$P \text{ rdfs:domain } A.$
$\exists P^- \sqsubseteq A$	$P \text{ rdfs:range } A.$
$P_1 \sqsubseteq P_2$	$P_1 \text{ rdfs:subPropertyOf } P_2.$
$A(x)$	$x \text{ rdf:type } A.$
$P(x, y)$	$x P y.$

```
SELECT ?X WHERE { ?X rdf:type foaf:Person .
                  ?X foaf:knows ?Y .
                  ?Y foaf:name "Dan Brickley" }
```

$$\text{answer}(x) \rightarrow \text{triple}(x, \text{type}, \text{Person}) \wedge \text{triple}(x, \text{knows}, y) \wedge \text{triple}(y, \text{name}, \text{" Dan Brickley"})$$

Figure 7. A simple SPARQL query asking for persons who know someone named “Dan Brickley” and its corresponding conjunctive query in first-order syntax

triples to facilitate joins and projection (using the keyword ‘SELECT’). Figure 7 shows a simple SPARQL query and its corresponding transcription into a conjunctive query.

SPARQL allows more complex patterns on top of BGPs, such as unions of patterns, optional query patterns and filters, where the expressivity of the SPARQL in its version 1.0 [Prud’hommeaux, 2008] language was shown to capture Relational Algebra, or non-recursive Datalog with negation, respectively, by Angles and Gutierrez [Angles and Gutierrez, 2008].

We note that the recent SPARQL 1.1 [Harris and Seaborne, 2013] specification has additional expressivity e.g. by allowing aggregates plus a basic form of regular path queries, which can no longer be captured in non-recursive Datalog with negation alone [Polleres and Wallner, 2013]. Moreover, SPARQL in its version 1.0 was solely defined in terms of RDF simple entailment, SPARQL 1.1 defines which additional answers a SPARQL query should return under RDFS and OWL semantics (see Section 3 below).

3 DAML/OIL AND OWL

3.1 A Brief History

While the previously described RDF and RDFS languages already allow to model domain knowledge, they are not very expressive and often insufficient for capturing the necessary relationships and constraints. Therefore, the development of richer representations was an early goal in the Semantic Web initiative, which eventually

led to the OWL ontology language.

One of the main predecessors of OWL are *frame based systems*. While the notion of frames was previously introduced in different contexts, e.g. [Minsky, 1975], a major development were the structured inheritance networks developed at the end of the 70s in [Brachman, 1978]. In those systems, the core modelling structures are *frames* – now more commonly referred to as *classes* in object oriented programming languages and ontology languages. Frames usually had specific *attributes* (also called *properties*) describing them. This differs from the previously described RDFS language and OWL itself in which properties are autonomous entities. Using domain and range axioms, RDFS properties can be used to model frame-like structures. Another consequence of properties being autonomous entities, is that their usage in RDFS and OWL is not restricted to instances of a single class/frame.

While early frame based systems lacked formal semantics, this deficit was overcome by the introduction of description logics (DLs). The first DL-based KR system is KL-ONE [Brachman and Schmolze, 1985]. We refrain from describing those in detail as they are already covered in the chapter on description logics in this volume. In contrast to some frame-based systems, DLs have a clear focus on logic based semantics and reasoning, which are now considered essential for an ontology language [Baader, 2003]. DLs later became the formal foundation of the OWL ontology language and enjoy an increase in popularity and usage. OWL and the underlying DLs go far beyond early frame based systems and RDF, e.g. it supports specific characteristics like functionality and transitivity for properties as well as complex class expressions.

A major turning point after the gradual introduction of some key technologies like frames and description logics more than 30 years ago was the rise of the World Wide Web in the 90s. Web technologies, e.g. XML, had a major influence on OWL. After the introduction of a first RDF recommendation in 1999, standardisation efforts on the introduction of an ontological layer in the Semantic Web intensified while a new version of RDF was developed in parallel. Ultimately, this resulted in the Web Ontology Language OWL becoming an official W3C recommendation in 2004, which was published together with the revised RDF W3C recommendation. The predecessors of OWL are DAML, OIL and to a lesser extent SHOE. SHOE⁶ is an extension of HTML, which was developed around 1996 and makes it possible to annotate web documents with machine-readable information. While the project is no longer active, it influenced the development of the DAML+OIL language. DAML (DARPA Agent Markup Language) was a funding program in the US, which started in 1999 and involved James Hendler and Tim Bernes-Lee. The program pursued the development of machine readable knowledge representation languages for the web. A main result of the DAML program was the DAML language, which was already based on RDF. In parallel to the development of DAML, the aim of OIL (Ontology Inference Layer) was to provide an infrastructure for the Semantic Web [Fensel *et al.*, 2001]. The authors of [Fensel *et al.*, 2001]

⁶<http://www.cs.umd.edu/projects/plus/SHOE/>

state that RDFS served as starting point for OIL and they developed it into a "full-fledged Web-based ontology language" including formal semantics. OIL development started at the end of the 90s. Finally, in December 2000 the first version of the language DAML+OIL [McGuinness *et al.*, 2002] was released. While using DAML as a foundation, this language focused on the inclusion of the clear semantics underlying OIL. It also used the expressive power of OIL, specifically the *SHIQ* description logic [Horrocks *et al.*, 2003]. DAML+OIL was subsequently used as starting point for the W3C Web Ontology Working Group. In 2004, this working group produced the W3C recommendation OWL – Web Ontology Language [Web Ontology Working Group, 10 February 2004]. Since then OWL served as a backbone for knowledge representation on the web and several inference algorithms for it, in particular for OWL DL, were developed and implemented. As the people involved in the development of DAML, OIL and OWL often had different technological backgrounds, ideas and expertise than those working on the RDF specifications, joining those two strands was a tense and difficult process. This is one of the reasons why different OWL dialects were created with varying compatibility with RDF.

In 2009, after several years of refinements, OWL 2 became a W3C recommendation [OWL Working Group, 27 October 2009] (note that the 2012 version of the recommendation document [Hitzler *et al.*, 2012] contains only very minor changes, most of them editorial). OWL 2 was started as an incremental improvement of OWL, but during the development of the language, it turned out that in sum the required changes and addressed deficiencies are substantial: "None of these problems are severe, but, taken together, they indicate a need for a revision of OWL 1" [Grau *et al.*, 2008]. From a knowledge representation perspective, OWL 2 mainly builds on *SRQIQ(D)*, whereas OWL 1 mainly used *SHQIN(D)* – see the description logic chapter in this volume for details.

3.2 Quick Introduction to OWL

Based on the introduction of description logics in the corresponding chapter in this volume, we will now describe the Web Ontology Language OWL. For brevity, we focus on the OWL DL dialect. In essence, OWL DL is based on description logics extended by several features to make it suitable as a web ontology language, e.g. using URIs/IRIs as identifiers, imports of other ontologies and annotations of URIs and axioms. By basing OWL DL on description logics, it can make use of the theory developed for DLs, in particular sophisticated reasoning algorithms. In OWL, different naming conventions are usually used compared to description logics. OWL *classes* correspond to concepts in description logics and *properties* correspond to roles.

While being based on description logics, OWL is also seen as a language extending RDF in the Semantic Web layer cake. However, the semantics of RDF differs from that of description logics and does in general not necessarily lead to the same logical consequences. Due to being based on RDF and DLs, there are

OWL expression / axiom	OWL 2	DL syntax	Manchester syntax
Thing		\top	Thing
Nothing		\perp	Nothing
intersectionOf		$C_1 \sqcap \dots \sqcap C_n$	C_1 and ... and C_n
unionOf		$C_1 \sqcup \dots \sqcup C_n$	C_1 or ... or C_n
complementOf		$\neg C$	not C
oneOf		$\{x_1\} \sqcup \dots \sqcup \{x_n\}$	$\{x_1, \dots, x_n\}$
allValuesFrom		$\forall r.C$	r only C
someValuesFrom		$\exists r.C$	r some C
maxCardinality	(\checkmark)	$\leq n r C$	r max n
minCardinality	(\checkmark)	$\geq n r C$	r min n
cardinality	(\checkmark)	$\leq n r C \sqcap \geq n r C$	r exact $n C$
hasSelf	\checkmark	$\exists s.\text{Self}$	r Self
subClassOf		$C_1 \sqsubseteq C_2$	C_1 SubClassOf: C_2
equivalentClass		$C_1 \equiv C_2$	C_1 EquivalentTo: C_2
disjointWith		$C_1 \equiv \neg C_2$	C_1 DisjointWith: C_2
sameAs		$\{x_1\} \equiv \{x_2\}$	x_1 SameAs: x_2
differentFrom		$\{x_1\} \sqsubseteq \neg\{x_2\}$	x_1 DifferentFrom: x_2
domain		$\forall r.\top \sqsubseteq C$	r Domain: C
range		$\top \sqsubseteq \forall r.C$	r Range: C
subPropertyOf		$r_1 \sqsubseteq r_2$	r_1 SubPropertyOf: r_2
equivalentProperty		$r_1 \equiv r_2$	r_1 EquivalentTo: r_2
inverseOf		$r_1 \equiv r_2^-$	r_1 InverseOf: r_2
TransitiveProperty		$r^+ \sqsubseteq r$	r Characteristics: Transitive
FunctionalProperty		$\top \sqsubseteq \leq 1 r$	r Characteristics: Functional
ReflexiveProperty	\checkmark	Ref(r)	r Characteristics: Reflexive
propertyChainAxiom	\checkmark	$r_1 \circ \dots \circ r_n \sqsubseteq s$	s SubPropertyChain: $r_1 \circ \dots \circ r_n$

Table 3. OWL constructs in DL and Manchester OWL syntax (excerpt). \checkmark indicates that the construct is only available in OWL 2 and (\checkmark) indicates that it was extended in OWL 2.

two different definitions of formal semantics: *Direct Semantics*, which are based on DLs, and *RDF-based Semantics*.

In general, OWL offers more convenience constructs than the corresponding description logics, but does not extend its expressivity. For instance, the domain and range constructs inherited from RDF are logically redundant, i.e. can be expressed using other constructs, but are part of the language, since they simplify modelling for knowledge engineers.

It should be noted that OWL does not make the unique name assumption, so different individuals can be mapped to the same domain element. It allows us to express equality and inequality between individuals ($a = b$, $a \neq b$) using `owl:sameAs` and `owl:differentFrom`. Most algorithms for description logics already supported this distinction before the OWL specification was created. Not

making the unique names assumption is crucial in the Semantic Web, where it is often the case that many knowledge bases contain information about the same entity. In this case, a common approach is that each knowledge base uses their own URI namespace and `owl:sameAs` is used to connect individuals.

Table 3 shows, for some examples, how constructs in OWL can be mapped to description logics. We can see that some features can be mapped directly to description logics, e.g. union, and others are syntactic sugar, e.g. functional properties. OWL has different syntactic formats, in which a knowledge base can be stored. Since it can be converted to RDF, formats like RDF/XML or Turtle can be used. There is also a special XML syntax called OWL/XML as well as the Manchester OWL Syntax. For details on Manchester OWL syntax (e.g. used in the Protégé editor) see [Horridge and Patel-Schneider, 2008] and the OWL 2 Manchester Syntax Specification [OWL Working Group, 11 December 2012]. The latter is popular in ontology editors. However, the RDF-based syntax plays a special role since its support is required for tools to be compliant with the OWL standard. Examples for Manchester OWL Syntax are shown on the right column in Table 3. Note that OWL 2 also supports the creation of datatypes as discussed in detail in [Motik and Horrocks, 2008], but a discussion of them is omitted for brevity in this section.

3.3 Relations to other Formalisms

OWL 1 comes in three flavors: OWL Lite, OWL DL, and OWL Full. For OWL 1, OWL Lite corresponds to the description logic $\mathcal{SHIF}(D)$ and OWL DL to the description logic $\mathcal{SHOIN}(D)$. OWL Full contains features not expressible in description logics, but needed to be compatible with RDFS. In this sense, OWL Full can be seen as the union of RDFS and OWL DL in terms of language features or, alternatively, as OWL without syntactic restrictions.

The latest version OWL 2 is again split in two flavors OWL 2 DL and OWL 2 Full. OWL 2 DL corresponds roughly to the logic $\mathcal{SROIQ}(D)$. An exception for this are the so called *keys*, which essentially state that certain property values and class memberships are sufficient to uniquely identify an individual. This language feature is derived from relational database technology and cannot be expressed in DLs. A further interesting feature of OWL 2 DL is meta-modelling via *punning*, which allows to use the same URI for an entity denoting a class and an individual. Internally, those are then semantically treated as separate entities.

As in OWL, there is also an OWL 2 Full variant introduced for RDFS compatibility. In addition, three profiles were introduced: EL, QL, and RL. Each profile imposes, usually syntactical, restrictions on OWL in order to allow for more efficient reasoning. OWL 2 EL is aimed at applications which require expressive property modelling and is based on the logic \mathcal{EL}^{++} , which guarantees polynomial reasoning time wrt. ontology size for all standard inference problems. QL is targeted at applications with massive volumes of instance data. In QL, query answering can be implemented on top of conventional relational database

systems and sound and complete conjunctive query answering methods can be implemented in LOGSPACE. As in the EL profile, the standard inference problems run in polynomial time. RL is aimed at scalable applications, which however, do not want to sacrifice too much expressive power. Reasoning algorithms for it can be implemented in rule-based engines and run in polynomial time. The EL and QL languages are subsets of OWL 2 DL, whereas RL provides two variants where one is subset of OWL 2 Full and the other one is a subset of OWL 2 DL.

Compared to RDFS, OWL Full is much more expressive by allowing the construction of complex concepts via boolean connectors (conjunctions, disjunction, negation) as well as cardinality restrictions (minimum, maximum and exact cardinality). Furthermore, it includes several other features such as class disjointness and more fine-granular property modelling. Properties can be declared to be reflexive, functional, symmetric or equivalent to other properties. Due to those characteristics, OWL is usually seen as a full-fledged ontology language, whereas RDFS is more suitable for lightweight vocabularies. However, while RDFS allows reification as a method for adding contextual information (see discussion below in Section 6), this is not allowed in OWL DL and generally not supported in standard description logics.

More details on the OWL language and its formal foundations can be found in the [Hitzler *et al.*, 2010]. For technical details, we refer to the W3C recommendations, in particular those for OWL 2 [OWL Working Group, 27 October 2009].

4 RULES

Rules come in many guises. In one of their most basic forms, they consist of statements of the form

$$\bigwedge_i A_i \rightarrow B,$$

where B (the *head* of the rule) and all A_i (which form the *body* of the rule) are atomic formulas from first-order predicate logic, and all variables in the rule are considered universally quantified.⁷ Function symbols may or may not be allowed. Additional logical connectives may be allowed, e.g. disjunctions or existential quantifiers in the rule head. Constructs from other, e.g. modal or non-monotonic, logics may be allowed. Atomic formulas in head or body may be replaced by procedural built-ins or other executable commands. If a formal semantics is defined for a rules language, it may range from a full first-order predicate logic semantics to an entirely procedural specification. Logic programming, as discussed in the chapter by Robert Kowalski in this volume, is one rather prominent example of such a rules language.

Many rules paradigms had already been well established in research and industry, when the World Wide Web Consortium set out to define a recommended

⁷The universal quantifier is usually omitted.

standard for modeling ontologies for the Semantic Web. Rules, in particular in the broad sense of logic programming, were a very strong contender for the base paradigms on which to base this recommended standard. As discussed in Section 3, description logics were eventually chosen, but a significant research and industrial interest remained in giving rules a more prominent role, and in the aftermath of the 2004 W3C OWL specification [Web Ontology Working Group, 10 February 2004], the ensuing discussions on the role of rules for the Semantic Web were sometimes rather fierce [Horrocks *et al.*, 2005a; Kifer *et al.*, 2005].

One of the prominently discussed paradigms was F-Logic [Kifer *et al.*, 1995], in its variant as a primarily syntactic extension of logic programming [Angele and Lausen, 2004]. This included industrial strength systems [Angele, 2014], W3C member submissions [de Bruijn *et al.*, 2005], research investigations (e.g., [Friedland *et al.*, 2004; Roman *et al.*, 2005]), and industrial applications (e.g., [Angele and Gesmann, 2007; Angele *et al.*, 2008]). Central to F-Logic is its use of a frame-based syntax.

RuleML,⁸ the Rule Markup Initiative, is another long-standing effort which aims at developing the Rule Markup Language RuleML “as the canonical Web language for rules using XML markup, formal semantics, and efficient implementations” (cited from <http://ruleml.org>). RuleML is set to encompass the entire rule spectrum.

The Semantic Web Rules Language SWRL [Horrocks *et al.*, 2004; Horrocks *et al.*, 2005b] has been presented in the aftermath of the W3C OWL specification, as an early effort to accommodate rules modeling in a way compatible with the description logic paradigm. In its original formulation, SWRL simply added rules with a first-order predicate logic semantics to OWL, but reasoning systems and research discussions soon converged towards reading SWRL rules in a more restricted way, known as *DL-safety*, which was more akin to the Herbrand semantics usually considered in logic programming, was more readily implementable, and retained a key design rationale of description logics, namely decidability [Motik *et al.*, 2005; Krisnadhi *et al.*, 2011]. SWRL became rather prominent in the wake of OWL, and the notion of DL-safety provided a key notion towards subsequent research into the integration of description logics and rules – see Section 6 for pointers to more recent developments on this issue.

The Rule Interchange Format RIF [Kifer and Boley, 2013] was finally established as a W3C recommended standard for exchanging rules between rule systems. It draws, in part, on both F-Logic and RuleML.⁹ In particular, it sports a frame-based syntax inspired by F-Logic and draws from RuleML for its normative XML-based syntax. Set up as an exchange language, rather than as a full-blown knowledge representation language, RIF has several dialects as well as an extensible framework. Of the dialects, RIF Core [Boley *et al.*, 2013] corresponds to Datalog, RIF BLD (the *Basic Logic Dialect*) [Boley and Kifer, 2013a] corresponds to Horn logic, and RIF PRD (the *Production Rule Dialect*) [de Sainte Marie *et*

⁸<http://ruleml.org>

⁹See [Kifer, 2008] and section 3.4 of http://www.w3.org/2005/rules/wiki/RIF_FAQ.

et al., 2013] captures main aspects of production rule systems [Klahr *et al.*, 1987] which incorporate ad-hoc computational mechanisms (such as side-actions triggered by rule executions, e.g. printing a document). Each of these dialects, even the strongly logic-based ones RIF Core and RIF BLD, sport some use of datatypes and built-ins. RIF FLD (the *Framework for Logic Dialects*) [Boley and Kifer, 2013b; Kifer, 2008] provides a means to define further RIF dialects.

Finally, as discussed above, we note that the RDFS semantics is expressible in terms of Horn rules. On top of that, the W3C has defined a combined semantics for combining arbitrary Horn rules encoded in RIF [Boley and Kifer, 2013a] with RDF(S) and OWL [de Bruijn, 2013]. In the academic literature there have been several other proposals to extend RDF by rules beyond Horn rules, such as ERDF [Analyti *et al.*, 2008] which provides a syntax for normal logic programs (that is, rules with default negation interpreted under the stable model semantics [Gelfond and Lifschitz, 1988]), or N3 [Berners-Lee *et al.*, 2008] which also allows default negation in rule bodies; although N3's semantics is only defined informally, its reference implementation CWM¹⁰ implements the perfect model semantics [Przymusiński, 1988].¹¹

5 PARTICULAR CHALLENGES TO USING LOGIC-BASED KNOWLEDGE REPRESENTATION ON THE WEB

The use of logic-based knowledge representation and reasoning at the scale of the World Wide Web poses a number of particular challenges which have so far not received primary attention in logic research. We list some of them in the following.

The added value of a good machine-processable syntax for knowledge representation formalisms is easily underestimated. However, it is a fundamental basis for knowledge exchange and integration which needs to be approached carefully in order to obtain a widest possible agreement between stakeholders. The World Wide Web Consortium has gone a long way in establishing recommended standards for knowledge representation for the Semantic Web, in particular through their work on RDF [Lassila and Swick, 2004; Cyganiak and Wood, 2013], OWL [Smith *et al.*, 2004; Hitzler *et al.*, 2012], and RIF [Boley *et al.*, 2013; Boley and Kifer, 2013a], but also by establishing special-purpose shared vocabularies based on these, e.g. SKOS Simple Knowledge Organization System [Miles and Bechhofer, 2009], SSN Semantic Sensor Networks [Compton *et al.*, 2012], provenance [Groth and Moreau, 2010].

Investigating the scalability of automated reasoning approaches is, of course, an established line of research in computer science. However, dealing with Web scale data lifts this issue to yet another level. Shared memory parallelization of reasoning is highly effective [Kazakov *et al.*, 2011], however it breaks down if data size exceeds capacities. Massive distributed memory parallelization has started to

¹⁰<http://www.w3.org/2000/10/swap/doc/cwm.html>

¹¹according to personal communication with Dan Connolly.

be investigated [Mutharaju *et al.*, 2013; Schlicht and Stuckenschmidt, 2010; Urbani *et al.*, 2011; Urbani *et al.*, 2012; Weaver and Hendler, 2009; Zhou *et al.*, 2012], but there is as yet insufficient data for casting a verdict if distributed memory reasoning will be able to meet this challenge. Some authors even call for the investigation of non-deductive methods, e.g. borrowed from machine learning or data mining, as a partial replacement for deductive approaches [Hitzler and van Harmelen, 2010].

Automated reasoning applications usually rely on clean, single-purpose, and usually manually created or curated knowledge bases. In a Web setting, however, it would often be an unrealistic assumption that such input would be available, or would be of sufficiently small volume to make manual curation a feasible approach. In some cases, this problem may be reduced by crowdsourcing data curation [Acosta *et al.*, 2013]. Nevertheless, on the Web we should expect high-volume or high-throughput input which at the same time is multi-authored, multi-purposed, context-dependent, contains errors and omissions, and so forth [Hitzler and van Harmelen, 2010; Janowicz and Hitzler, 2012]. The aspects just mentioned are often referred to as the *volume* (size of input data), *velocity* (speed of data generation) and *variety* aspects of data, in fact these *three V's* are usually discussed within the much larger *Big Data* context, within which many Semantic Web challenges can be located [Hitzler and Janowicz, 2013].

To give just one example of variety which is particularly challenging in a Semantic Web context, consider basic geographical notions such as *forest*, *river*, or *village*, which depend heavily on social agreement and tradition, and are furthermore often influenced by economic or political incentives [Janowicz and Hitzler, 2012]. This type of variety is often referred to as *semantic heterogeneity*, and it cannot be overcome by simply enforcing a single definition: In fact, the different perspectives are often incompatible and would result in logical inconsistencies if combined. Research on the question how to deal with semantic heterogeneity may, of course, be more a question of *pragmatics* than of formal logic, yet the body of literature dealing with this issue is still too small to confidently locate major promising approaches. Formal logical approaches which have been proposed as partial solutions include fuzzy or probabilistic logics [Klinov and Parsia, 2008; Lukasiewicz and Straccia, 2009; Straccia, 2001], paraconsistent reasoning [Maier *et al.*, 2013], and the use of defaults or other non-monotonic logics related to reasoning with knowledge and belief [Baader and Hollunder, 1995; Bonatti *et al.*, 2009; Donini *et al.*, 2002; Eiter *et al.*, 2008a; Knorr *et al.*, 2011; Motik and Rosati, 2010; Sengupta *et al.*, 2011], but the larger issue remains unresolved. Others have advocated the use of ontology design patterns for meeting the challenge of semantic heterogeneity [Gangemi, 2005; Janowicz and Hitzler, 2012], but it is currently not clear how far this will carry.

There exist a multitude of different knowledge representation paradigms based on different and often incompatible design principles. Logical features which appear useful for modeling such as uncertainty handling or autoepistemic introspection are often studied in isolation, while the high-variety setting of the Semantic Web would suggest that combinations of features need to be taken into account in

realistic settings. However, merging different knowledge representation paradigms often results in unwieldy, highly complex logics for which strong automated reasoning support may be difficult to obtain [de Bruijn *et al.*, 2011; de Bruijn *et al.*, 2010; Knorr *et al.*, 2012]. Even W3C recommended standards, which on purpose are designed to be of limited variety, expose this issue. The OWL 2 DL profile is essentially a traditional description logic, but if serialised in RDF (as required by the standard), the RDF formal semantics is not equivalent to the OWL formal semantics, and the sets of logical consequences defined by these two formal semantics for an OWL file (serialised in RDF) are not contained within each other. The OWL 2 Full profile was established to encompass all of both OWL 2 DL and RDF Schema, but we are not aware of any practical use of its formal semantics. Concerning the relationship between OWL and RIF, in contrast, the gap seems to be closing now, as discussed in Section 6 below.

Another practical obstacle to the use of formal logic and reasoning on the Semantic Web is the availability of strong and intuitive tools and interfaces, of industrial strength, which would relieve application developers from the burden of becoming an expert in formal logic and Semantic Web technologies. Of course, many useful tools are available, e.g. [Lehmann, 2009; Calvanese *et al.*, 2011; David *et al.*, 2011; Horridge and Bechhofer, 2011; Tudorache *et al.*, 2013], and some of them are of excellent quality, but a significant gap remains to meet practical requirements.

6 RECENT DEVELOPMENTS

Concerning more recent developments and investigations concerning the use of logic-based knowledge representation for the Semantic Web, it appears to make sense to distinguish between theoretical advances and advances concerning dissemination into practice and applications.

On the theory side, a convergence of different paradigms is currently happening, in particular with respect to the description-logic-based and the rule-based paradigm. The following are some of the most prominent recent developments.

- The introduction of role chains and some other constructs in OWL 2 [Hitzler *et al.*, 2012] has made a significant step towards closing the gap between Horn logic and description logics, by making many more rules expressible in major description logics [Krötzsch *et al.*, 2008; Krötzsch, 2010]. Another recently introduced syntax construct, called *nominal schemas* [Carral Martínez *et al.*, 2012; Carral *et al.*, 2013], further enables the expression of many monotonic rules [Krisnadhi *et al.*, 2011], up to a complete coverage of n -ary Datalog under the Herbrand semantics [Knorr *et al.*, 2012]. Research concerning algorithmization and reasoning tool support are under way [Krötzsch *et al.*, 2011; Steigmiller *et al.*, 2013].
- Datalog has recently seen a revival due to results investigating the theoretical and practical implications of adding existentially quantified variables to rule

heads. The general approach is known as *existential rules* and was most prominently introduced under the name Datalog^{+−} [Cali *et al.*, 2012]. The paradigm on the one hand generalizes Datalog, and on the other hand is very akin in spirit to the so-called \mathcal{EL} family of description logics which entered the mainstream with the introduction of the tractable¹² description logic \mathcal{EL}^{++} [Baader *et al.*, 2005] and its applications [Baader *et al.*, 2006] – a line of work which eventually led to the OWL 2 profile known as *OWL EL* [Motik *et al.*, 27 October 2009]. Currently, existential rules are under investigation from many different angles and by researchers of different backgrounds.

- Rule paradigms, and in particular logic programming in its many variants, have long been investigated from the perspective of non-monotonic logics, in particular in order to deal with types of commonsense reasoning related to defaults. Similar investigations have been pursued in recent years in order to extend description logics with such non-monotonic features, resulting in a significant body of work (e.g., [Baader and Hollunder, 1995; Bonatti *et al.*, 2009; Donini *et al.*, 2002; Eiter *et al.*, 2008a; Giordano *et al.*, 2013; Grimm and Hitzler, 2008; Huang *et al.*, 2013; Knorr *et al.*, 2011; Lukasiewicz and Straccia, 2009; Motik and Rosati, 2010; Sengupta *et al.*, 2011]) which seems to converge towards a unifying perspective [de Bruijn *et al.*, 2010; Knorr *et al.*, 2012].

The situation concerning the dissemination of logic-based methods to Web practice is much less clear, partly because these types of investigations are mainly industry-driven and thus often not well documented in the research literature. RDF-based reasoning is often being used, as existing RDF triple stores often provide the required support. The use of ontologies in expert-system-like applications is also rather common, in particular in industrial settings where input data is more controlled or curateable. So-called *ontology-based data access* (OBDA) [Calvanese *et al.*, 2011], which rests on the idea of using shared ontologies as access layers for databases, is currently under heavy research investigation and will likely stay so for some time. For use of deep KR on the open Web major challenges remain [Noy and McGuinness, 2013; Hitzler and van Harmelen, 2010; Jain *et al.*, 2010] which range from logical issues, e.g. how to deal with noisy data, to pragmatic issues, e.g. the development of modeling best practices and strong tool support.

Adding contextual information to RDF(S), OWL and SPARQL

A particularly relevant topic that has appeared in various disguises over the years is the lack of means to express contextual information alongside RDF(S)& OWL. Various approaches have been proposed in the literature to extend RDF(S), OWL

¹²To be precise, the worst-case computational complexity of computing the class hierarchy of all named classes is polynomial with respect to time.

and SPARQL by contextual information such as temporal information associated to RDF triples [Gutierrez *et al.*, 2007] and OWL statements [Motik, 2012], fuzzy annotations [Vaneková *et al.*, 2005; Mazzieri and Dragoni, 2005; Straccia, 2009], or defining more general forms of “Annotated RDF” [Udrea *et al.*, 2010; Zimmermann *et al.*, 2012]. Note that the importance of adding such contextual meta-information to RDF data at the level of triples is also a topic within the ongoing developments within RDF1.1 [Herman, 2009], where not only the semantics of such extensions, but also their syntactic representation within RDF is under discussion; while the basic RDF vocabulary offers the possibility to add meta-descriptions through so-called *reification*, supported by special vocabulary terms (`rdfs:Statement`, `rdfs:subject`, `rdfs:predicate`, `rdfs:object`), these vocabulary terms are not given any special semantics and are often perceived as cumbersome in practice. Alternative proposals for expressing contextually information include so-called named graphs [Carroll *et al.*, 2005], i.e., using again URIs to identify RDF graphs themselves, which then allows to use those identifiers in RDF triples to add contextual meta-information to the triples in these graphs; different syntax proposals for named graphs include N3 [Berners-Lee *et al.*, 2008], TRIG/TRIX [Carothers *et al.*, 2013; Carroll *et al.*, 2005], and N-Quads [Carothers, 2013].

ACKNOWLEDGEMENTS

Pascal Hitzler acknowledges support by the National Science Foundation under award 1017225 ”III: Small: TROn – Tractable Reasoning with Ontologies.” Any opinions, findings, and conclusions or recommendations expressed in this material are those of the author(s) and do not necessarily reflect the views of the National Science Foundation. Jens Lehmann acknowledges support by grants from the European Union’s 7th Framework Programme provided for the projects GeoKnow (GA no. 318159) and LOD2 (GA no. 257943).

BIBLIOGRAPHY

- [Acosta *et al.*, 2013] Maribel Acosta, Amrapali Zaveri, Elena Simperl, Dimitris Kontokostas, Sören Auer, and Jens Lehmann. Crowdsourcing linked data quality assessment. In *12th International Semantic Web Conference, 21-25 October 2013, Sydney, Australia*, 2013.
- [Analyti *et al.*, 2008] Anastasia Analyti, Grigoris Antoniou, Carlos Viegas Damásio, and Gerd Wagner. Extended RDF as a semantic foundation of rule markup languages. *J. Artif. Intell. Res. (JAIR)*, 32:37–94, 2008.
- [Angele and Gesmann, 2007] Jürgen Angele and Michael Gesmann. Integration of customer information using the semantic web. In Jorge Cardoso, Martin Hepp, and Miltiadis D. Lytras, editors, *The Semantic Web: Real-World Applications from Industry*, volume 6 of *Semantic Web And Beyond Computing for Human Experience*, pages 191–208. Springer, 2007.
- [Angele and Lausen, 2004] Jürgen Angele and Georg Lausen. Ontologies in F-Logic. In Steffen Staab and Rudi Studer, editors, *Handbook on Ontologies*, International Handbooks on Information Systems, pages 29–50. Springer, 2004.
- [Angele *et al.*, 2008] Jürgen Angele, Michael Erdmann, and Dirk Wenke. Ontology-based knowledge management in automotive engineering scenarios. In Martin Hepp, Pieter De Leenheer,

- Aldo de Moor, and York Sure, editors, *Ontology Management, Semantic Web, Semantic Web Services, and Business Applications*, volume 7 of *Semantic Web And Beyond Computing for Human Experience*, pages 245–264. Springer, 2008.
- [Angele, 2014] Jürgen Angele. OntoBroker – mature and approved semantic middleware. *Semantic Web journal*, 2014. To appear.
- [Angles and Gutierrez, 2008] Renzo Angles and Claudio Gutierrez. The expressive power of SPARQL. In Amit P. Sheth, Steffen Staab, Mike Dean, Massimo Paolucci, Diana Maynard, Timothy W. Finin, and Krishnaprasad Thirunarayan, editors, *International Semantic Web Conference (ISWC 2008)*, volume 5318 of *LNCS*, pages 114–129, Karlsruhe, Germany, 2008. Springer.
- [Baader and Hollunder, 1995] F. Baader and B. Hollunder. Embedding Defaults into Terminological Representation Systems. *J. Automated Reasoning*, 14:149–180, 1995.
- [Baader et al., 2005] Franz Baader, Sebastian Brandt, and Carsten Lutz. Pushing the EL envelope. In *Proc. 19th Int. Joint Conf. on Artificial Intelligence (IJCAI-05)*, Edinburgh, UK, 2005. Morgan-Kaufmann Publishers.
- [Baader et al., 2006] F. Baader, C. Lutz, and B. Suntisrivaraporn. CEL—A Polynomial-time Reasoner for Life Science Ontologies. In U. Furbach and N. Shankar, editors, *Proceedings of the 3rd International Joint Conference on Automated Reasoning (IJCAR'06)*, Seattle, WA, USA, August 17-20, 2006, volume 4130 of *Lecture Notes in Artificial Intelligence*, pages 287–291. Springer-Verlag, 2006.
- [Baader, 2003] Franz Baader. *The description logic handbook: theory, implementation, and applications*. Cambridge University Press, 2003.
- [Beckett and Berners-Lee, 2011] David Beckett and Tim Berners-Lee. Turtle – Terse RDF Triple Language. W3C Team Submission, March 2011. <http://www.w3.org/TeamSubmission/turtle/>.
- [Beckett and McBride, 2004a] David Beckett and Brian McBride. RDF Test Cases. W3C Recommendation, February 2004. <http://www.w3.org/TR/rdf-testcases/>.
- [Beckett and McBride, 2004b] David Beckett and Brian McBride. RDF/XML Syntax Specification (Revised). W3C Recommendation, February 2004. <http://www.w3.org/TR/rdf-syntax-grammar/>.
- [Berners-Lee and Fischetti, 1999] Tim Berners-Lee and Marc Fischetti. *Weaving the Web: The Original Design and Ultimate Destiny of the World Wide Web by its Inventor*. Harper, 1999.
- [Berners-Lee et al., 2001] Tim Berners-Lee, James Hendler, and Ora Lassila. The Semantic Web. *Scientific American*, 284(5):34–43, May 2001.
- [Berners-Lee et al., 2005] T. Berners-Lee, R. Fielding, and L. Masinter. Uniform resource identifier (uri): Generic syntax. Technical Report RFC 3986, IETF, January 2005. <http://www.ietf.org/rfc/rfc3986.txt>.
- [Berners-Lee et al., 2008] Tim Berners-Lee, Dan Connolly, Lalana Kagal, Yosi Scharf, and Jim Hendler. N3logic: A logical framework for the world wide web. *TPLP*, 8(3):249–269, 2008.
- [Berners-Lee, 1993] Tim Berners-Lee. A Brief History of the Web. W3C Design Issues, 1993. From <http://www.w3.org/DesignIssues/TimBook-old/History.html>; retr. 2013/09/24.
- [Berners-Lee, 1994] Tim Berners-Lee. Plenary at WWW Geneva 94. <http://www.w3.org/Talks/WWW94Tim/>, 1994.
- [Berners-Lee, 1996] Tim Berners-Lee. The World Wide Web: Past, present and future. <http://www.w3.org/People/Berners-Lee/1996/ppf.html>, August 1996.
- [Berners-Lee, 2006] Tim Berners-Lee. Linked Data. W3C Design Issues, July 2006. From <http://www.w3.org/DesignIssues/LinkedData.html>; retr. 2013/09/24.
- [Biron and Malhotra, 2004] Paul V. Biron and Ashok Malhotra. XML Schema part 2: Datatypes second edition. W3C Recommendation, October 2004. <http://www.w3.org/TR/xmlschema-2/>.
- [Boley and Kifer, 2013a] Harold Boley and Michael Kifer, editors. *RIF Basic Logic Dialect (Second Edition)*. W3C Recommendation 5 February 2013, 2013. Available from <http://www.w3.org/TR/rif-bld/>.
- [Boley and Kifer, 2013b] Harold Boley and Michael Kifer, editors. *RIF Framework for Logic Dialects (Second Edition)*. W3C Recommendation 5 February 2013, 2013. Available from <http://www.w3.org/TR/rif-fld/>.
- [Boley et al., 2013] Harold Boley, Gary Hallmark, Michael Kifer, Adrian Paschke, Axel Polleres, and Dave Reynolds, editors. *RIF Core Dialect (Second Edition)*. W3C Recommendation 5 February 2013, 2013. Available from <http://www.w3.org/TR/rif-core/>.

- [Bonatti *et al.*, 2009] Piero A. Bonatti, Carsten Lutz, and Frank Wolter. The Complexity of Circumscription in Description Logic. *Journal of Artificial Intelligence Research*, 35:717–773, 2009.
- [Brachman and Schmolze, 1985] Ronald J Brachman and James G Schmolze. An overview of the kl-one knowledge representation system*. *Cognitive science*, 9(2):171–216, 1985.
- [Brachman, 1978] Ronald J. Brachman. A structural paradigm for representing knowledge. Technical Report BBN Report 3605, Bolt, Beranek and Newman, Inc., Cambridge, MA, 1978.
- [Brickley and Guha, 2004] Dan Brickley and R.V. Guha. RDF Vocabulary Description Language 1.0: RDF Schema. W3C Recommendation, February 2004. <http://www.w3.org/TR/rdf-schema/>.
- [Brickley and Miller, 2007] Dan Brickley and Libby Miller. FOAF Vocabulary Specification, November 2007.
- [Calì *et al.*, 2012] Andrea Calì, Georg Gottlob, and Thomas Lukasiewicz. A general datalog-based framework for tractable query answering over ontologies. *Journal of Web Semantics*, 14:57–83, 2012.
- [Calvanese *et al.*, 2007] D. Calvanese, G. De Giacomo, D. Lembo, M. Lenzerini, and R. Rosati. Tractable reasoning and efficient query answering in description logics: The DL-Lite family. *Journal of Automated reasoning*, 39(3):385–429, 2007.
- [Calvanese *et al.*, 2011] Diego Calvanese, Giuseppe De Giacomo, Domenico Lembo, Maurizio Lenzerini, Antonella Poggi, Mariano Rodriguez-Muro, Riccardo Rosati, Marco Ruzzi, and Domenico Fabio Savo. The MASTRO system for ontology-based data access. *Semantic Web*, 2(1):43–53, 2011.
- [Carothers *et al.*, 2013] Gavin Carothers, Andy Seaborne, Chris Bizer, and Richard Cyganiak. TriG RDF Dataset Language. W3C Last Call Working Draft, September 2013. <http://www.w3.org/TR/2013/WD-trig-20130919/>.
- [Carothers, 2013] Gavin Carothers. N-Quads A line-based syntax for an RDF datasets. W3C Last Call Working Draft, September 2013. <http://www.w3.org/TR/2013/WD-n-quads-20130905/>.
- [Carral *et al.*, 2013] David Carral, Cong Wang, and Pascal Hitzler. Towards an efficient algorithm to reason over description logics extended with nominal schemas. In Wolfgang Faber and Domenico Lembo, editors, *Web Reasoning and Rule Systems – 7th International Conference, RR 2013, Mannheim, Germany, July 27-29, 2013. Proceedings*, volume 7994 of *Lecture Notes in Computer Science*, pages 65–79. Springer, 2013.
- [Carral Martínez *et al.*, 2012] David Carral Martínez, Adila Alfa Krisnadhi, and Pascal Hitzler. Integrating OWL and rules: A syntax proposal for nominal schemas. In Pavel Klinov and Matthew Horridge, editors, *Proceedings of OWL: Experiences and Directions Workshop 2012, Heraklion, Crete, Greece, May 27-28, 2012*, volume 849 of *CEUR Workshop Proceedings*. CEUR-WS.org, 2012.
- [Carroll *et al.*, 2005] Jeremy J. Carroll, Christian Bizer, Patrick J. Hayes, and Patrick Stickler. Named graphs. *Journal of Web Semantics*, 3(4):247–267, 2005.
- [Chandra and Merlin, 1977] Ashok K. Chandra and Philip M. Merlin. Optimal implementation of conjunctive queries in relational data bases. In John E. Hopcroft, Emily P. Friedman, and Michael A. Harrison, editors, *Proceedings of the 9th Annual ACM Symposium on Theory of Computing (STOC)*, pages 77–90, Boulder, Colorado, USA, 1977. ACM.
- [Compton *et al.*, 2012] Michael Compton, Payam M. Barnaghi, Luis Bermudez, Raul Garcia-Castro, Óscar Corcho, Simon Cox, John Graybeal, Manfred Hauswirth, Cory A. Henson, Arthur Herzog, Vincent A. Huang, Krzysztof Janowicz, W. David Kelsey, Danh Le Phuoc, Laurent Lefort, Myriam Leggieri, Holger Neuhaus, Andriy Nikolov, Kevin R. Page, Alexandre Passant, Amit P. Sheth, and Kerry Taylor. The SSN ontology of the W3C semantic sensor network incubator group. *Journal of Web Semantics*, 17:25–32, 2012.
- [Cyganiak and Wood, 2013] R. Cyganiak and D. Wood. *RDF 1.1 Concepts and Abstract Syntax*. W3C Last Call Working Draft 23 July 2013, 2013. Available from <http://www.w3.org/TR/2013/WD-rdf11-concepts-20130723/>.
- [David *et al.*, 2011] Jérôme David, Jérôme Euzenat, François Scharffe, and Cássia Trojahn dos Santos. The Alignment API 4.0. *Semantic Web*, 2(1):3–10, 2011.

- [de Bruijn and Heymans, 2007] Jos de Bruijn and Stijn Heymans. Logical foundations of (e)RDF(S): Complexity and reasoning. In *Proceedings of the 6th International Semantic Web Conference (ISWC2007)*, volume 4825 of *LNCS*, pages 86–99, 2007.
- [de Bruijn and Heymans, 2010] Jos de Bruijn and Stijn Heymans. Logical foundations of RDF(S) with datatypes. *Journal of Artificial Intelligence Research (JAIR)*, 38:535–568, 2010.
- [de Bruijn et al., 2005] Jos de Bruijn, Jürgen Angele, Harold Boley, Dieter Fensel, Pascal Hitzler, Michael Kifer, Reto Krümmenacher, Holger Lausen, Axel Polleres, and Rudi Studer. *Web Rule Language (WRL)*. W3C Member Submission 09 September 2005, 2005. Available from <http://www.w3.org/Submission/WRL>.
- [de Bruijn et al., 2010] Jos de Bruijn, David Pearce, Axel Polleres, and Agustín Valverde. A semantical framework for hybrid knowledge bases. *Knowl. Inf. Syst.*, 25(1):81–104, 2010.
- [de Bruijn et al., 2011] Jos de Bruijn, Thomas Eiter, Axel Polleres, and Hans Tompits. Embedding nonground logic programs into autoepistemic logic for knowledge-base combination. *ACM Trans. Comput. Log.*, 12(3), 2011.
- [de Bruijn, 2013] Jos de Bruijn. RIF RDF and OWL Compatibility (Second Edition). W3C Recommendation, February 2013. <http://www.w3.org/TR/rif-rdf-owl/>.
- [de Sainte Marie et al., 2013] Christian de Sainte Marie, Gary Hallmark, and Adrian Paschke, editors. *RIF Production Rule Dialect (Second Edition)*. W3C Recommendation 5 February 2013, 2013. Available from <http://www.w3.org/TR/rif-prd/>.
- [Donini et al., 2002] F.M. Donini, D. Nardi, and R. Rosati. Description Logics of Minimal Knowledge and Negation as Failure. *ACM Transactions on Computational Logic*, 3(2):177–225, 2002.
- [Eiter et al., 2008a] T. Eiter, G. Ianni, T. Lukasiewicz, R. Schindlauer, and H. Tompits. Combining answer set programming with description logics for the semantic web. *Artificial Intelligence*, 172(12–13):1495–1539, 2008.
- [Eiter et al., 2008b] Thomas Eiter, Giovambattista Ianni, Thomas Krennwallner, and Axel Polleres. Rules and ontologies for the semantic web. In Cristina Baroglio, Piero A. Bonatti, Jan Maluszynski, Massimo Marchiori, Axel Polleres, and Sebastian Schaffert, editors, *Reasoning Web 2008*, volume 5224 of *LNCS*, pages 1–53. Springer, San Servolo Island, Venice, Italy, September 2008.
- [Ellerman, 1997] Castedo Ellerman. Channel definition format (CDF). W3C Member Submission, March 1997. <http://www.w3.org/TR/NOTE-CDFsubmit.html>.
- [Fensel et al., 2001] Dieter Fensel, Frank Van Harmelen, Ian Horrocks, Deborah L McGuinness, and Peter F Patel-Schneider. OIL: An ontology infrastructure for the semantic web. *Intelligent Systems, IEEE*, 16(2):38–45, 2001.
- [Franconi et al., 2005] Enrico Franconi, Jos de Bruijn, and Sergio Tessaris. Logical reconstruction of normative RDF. In *Workshop on OWL: Experiences and Directions (OWLED’05)*, 2005.
- [Franconi et al., 2013] Enrico Franconi, Claudio Gutierrez, Alessandro Mosca, Giuseppe Pirrò, and Riccardo Rosati. The logic of extensional RDFS. In *The Semantic Web-ISWC 2013*, pages 101–116. Springer, 2013.
- [Friedland et al., 2004] Noah S. Friedland, Paul G. Allen, Gavin Matthews, Michael J. Witbrock, David Baxter, Jon Curtis, Blake Shepard, Pierluigi Miraglia, Jürgen Angele, Steffen Staab, Eddie Mönch, Henrik Oppermann, Dirk Wenke, David J. Israel, Vinay K. Chaudhri, Bruce W. Porter, Ken Barker, James Fan, Shaw Yi Chaw, Peter Z. Yeh, Dan Tecuci, and Peter Clark. Project Halo: Towards a digital Aristotle. *AI Magazine*, 25(4):29–48, 2004.
- [Gangemi, 2005] Aldo Gangemi. Ontology design patterns for semantic web content. In Yolanda Gil, Enrico Motta, V. Richard Benjamins, and Mark A. Musen, editors, *The Semantic Web – ISWC 2005, 4th International Semantic Web Conference, ISWC 2005, Galway, Ireland, November 6–10, 2005, Proceedings*, volume 3729 of *Lecture Notes in Computer Science*, pages 262–276. Springer, 2005.
- [Garey and Johnson, 1979] Michael R. Garey and David S. Johnson. *Computers and Intractability: A Guide to the Theory of NP-Completeness*. W. H. Freeman and Company, 1979.
- [Gelfond and Lifschitz, 1988] Michael Gelfond and Vladimir Lifschitz. The stable model semantics for logic programming. In Robert A. Kowalski and Kenneth Bowen, editors, *5th Int’l Conf. on Logic Programming*, pages 1070–1080, Cambridge, Massachusetts, 1988. The MIT Press.

- [Giordano *et al.*, 2013] Laura Giordano, Valentina Gliozzi, Nicola Olivetti, and Gian Luca Pozzato. A non-monotonic description logic for reasoning about typicality. *Artificial Intelligence*, 195:165–202, 2013.
- [Grau *et al.*, 2008] Bernardo Cuenca Grau, Ian Horrocks, Boris Motik, Bijan Parsia, Peter Patel-Schneider, and Ulrike Sattler. OWL 2: The next step for OWL. *Journal of Web Semantics*, 6(4):309–322, 2008.
- [Grimm and Hitzler, 2008] Stephan Grimm and Pascal Hitzler. Semantic Matchmaking of Web Resources with Local Closed-World Reasoning. *International Journal of Electronic Commerce*, 12(2):89–126, 2008.
- [Groth and Moreau, 2010] Paul Groth and Luc Moreau, editors. *PROV-Overview, An Overview of the PROV Family of Documents*. W3C Working Group Note 30 April 2013, 2010. Available from <http://www.w3.org/TR/prov-overview>.
- [Guha and Bray, 1997] R.V. Guha and Tim Bray. Meta content framework using XML. W3C Member Submission, June 1997. <http://www.w3.org/TR/NOTE-MCF-XML/>.
- [Gutiérrez *et al.*, 2004] Claudio Gutiérrez, Carlos A. Hurtado, and Alberto O. Mendelzon. Foundations of semantic web databases. In *Proceedings of the 23rd ACM SIGACT-SIGMOD-SIGART Symposium on Principles of Database Systems (PODS2004)*, pages 95–106, 2004.
- [Gutierrez *et al.*, 2007] Claudio Gutierrez, Carlos A. Hurtado, and Alejandro A. Vaisman. Introducing time into RDF. *IEEE Trans. Knowl. Data Eng.*, 19(2):207–218, 2007.
- [Hamby, 2012] Steve Hamby. 2012: The year of the Semantic Web – revisited! http://www.huffingtonpost.com/steve-hamby/2012-the-year-of-the-sema_b_1559767.html, Jun 2012.
- [Harris and Seaborne, 2013] Steve Harris and Andy Seaborne. SPARQL 1.1 Query Language. W3C Recommendation, March 2013. <http://www.w3.org/TR/sparql11-query/>.
- [Hayes and Patel-Schneider, 2014] Patrick Hayes and Peter Patel-Schneider. RDF 1.1 Semantics. W3C Proposed Recommendation, January 2014. <http://www.w3.org/TR/2014/PR-rdf11-mt-20140109/>.
- [Hayes, 2004] Patrick Hayes. RDF Semantics. W3C Recommendation, February 2004. <http://www.w3.org/TR/rdf-mt/>.
- [Herman *et al.*, 2013] Ivan Herman, Ben Adida, and Manu Sporny. RDFa 1.1 Primer. W3C Working Group Note, August 2013. <http://www.w3.org/TR/xhtml1-rdfa-primer/>.
- [Herman, 2009] Ivan Herman. W3C Workshop – RDF Next Steps. Workshop Report, June 2009. <http://www.w3.org/2009/12/rdf-ws/Report.html>.
- [Hermann, 2010] Ivan Hermann. Semantic web adoption and applications. <http://www.w3.org/People/Ivan/CorePresentations/Applications/>, Nov 2010.
- [Hickson, 2012] Ian Hickson. HTML Microdata. W3C Working Draft, October 2012. <http://www.w3.org/TR/2012/WD-microdata-20121025/>, work in progress, latest version available at <http://www.w3.org/TR/microdata/>.
- [Hitzler and Janowicz, 2013] Pascal Hitzler and Krzysztof Janowicz. Linked data, big data, and the 4th paradigm. *Semantic Web*, 4(3):233–235, 2013.
- [Hitzler and van Harmelen, 2010] Pascal Hitzler and Frank van Harmelen. A reasonable semantic web. *Semantic Web*, 1(1–2):39–44, 2010.
- [Hitzler *et al.*, 2010] Pascal Hitzler, Markus Krötzsch, and Sebastian Rudolph. *Foundations of Semantic Web Technologies*. Chapman & Hall/CRC, 2010.
- [Hitzler *et al.*, 2012] Pascal Hitzler, Markus Krötzsch, Bijan Parsia, Peter F. Patel-Schneider, and Sebastian Rudolph, editors. *OWL 2 Web Ontology Language: Primer (Second Edition)*. W3C Recommendation 11 December 2012, 2012. Available from <http://www.w3.org/TR/owl2-primer/>.
- [Horridge and Bechhofer, 2011] Matthew Horridge and Sean Bechhofer. The OWL API: A Java API for OWL ontologies. *Semantic Web*, 2(1):11–21, 2011.
- [Horridge and Patel-Schneider, 2008] Matthew Horridge and Peter F. Patel-Schneider. Manchester syntax for OWL 1.1. In *OWLED 2008, 4th international workshop OWL: Experiences and Directions*, 2008.
- [Horrocks *et al.*, 2003] Ian Horrocks, Peter F. Patel-Schneider, and Frank Van Harmelen. From SHIQ and RDF to OWL: The making of a web ontology language. *Web semantics: science, services and agents on the World Wide Web*, 1(1):7–26, 2003.

- [Horrocks *et al.*, 2004] Ian Horrocks, Peter F. Patel-Schneider, Harold Boley, Said Tabet, Benjamin Grosf, and Mike Dean. *SWRL: A Semantic Web Rule Language Combining OWL and RuleML*. W3C Member Submission 21 May 2004, 2004. Available from <http://www.w3.org/Submission/SWRL/>.
- [Horrocks *et al.*, 2005a] Ian Horrocks, Bijan Parsia, Peter F. Patel-Schneider, and James A. Hendler. Semantic web architecture: Stack or two towers? In *3rd International Workshop on Principles and Practice of Semantic Web Reasoning (PPSWR2005)*, volume 3703 of *LNCS*, pages 37–41. Springer, 2005.
- [Horrocks *et al.*, 2005b] Ian Horrocks, Peter F. Patel-Schneider, Sean Bechhofer, and Dmitry Tsarkov. OWL rules: A proposal and prototype implementation. *Journal of Web Semantics*, 3:23–40, 2005.
- [Huang *et al.*, 2013] Shasha Huang, Qingguo Li, and Pascal Hitzler. Reasoning with inconsistencies in hybrid MKNF knowledge bases. *Logic Journal of the IGPL*, 21(2):263–290, 2013.
- [Jain *et al.*, 2010] Prateek Jain, Pascal Hitzler, Peter Z. Yeh, Kunal Verma, and Amit P. Sheth. Linked Data is Merely More Data. In Dan Brickley, Vinay K. Chaudhri, Harry Halpin, and Deborah McGuinness, editors, *Linked Data Meets Artificial Intelligence*, pages 82–86. AAAI Press, Menlo Park, CA, 2010.
- [Janowicz and Hitzler, 2012] Krzysztof Janowicz and Pascal Hitzler. The Digital Earth as knowledge engine. *Semantic Web*, 3(3):213–221, 2012.
- [Kazakov *et al.*, 2011] Yevgeny Kazakov, Markus Krötzsch, and František Simančík. Concurrent classification of \mathcal{EL} ontologies. In Lora Aroyo, Chris Welty, Harith Alani, Jamie Taylor, Abraham Bernstein, Lalana Kagal, Natasha Noy, and Eva Blomqvist, editors, *Proceedings of the 10th International Semantic Web Conference (ISWC’11)*, volume 7032 of *LNCS*. Springer, 2011.
- [Kifer and Boley, 2013] Michael Kifer and Harold Boley, editors. *RIF Overview (Second Edition)*. W3C Working Group Note 5 February 2013, 2013. Available from <http://www.w3.org/TR/rif-overview/>.
- [Kifer *et al.*, 1995] Michael Kifer, Geord Lausen, and James Wu. Logical foundations of object-oriented and frame-based languages. *JACM*, 42(4):741–843, 1995.
- [Kifer *et al.*, 2005] Michael Kifer, Jos de Bruijn, Harold Boley, and Dieter Fensel. A realistic architecture for the semantic web. In *1st International Conference on Rules and Rule Markup Languages for the Semantic Web (RuleML2005)*, volume 3791 of *LNCS*, pages 17–29. Springer, 2005.
- [Kifer, 2008] Michael Kifer. Rule Interchange Format: The framework. In Diego Calvanese and Georg Lausen, editors, *Web Reasoning and Rule Systems*, volume 5341 of *Lecture Notes in Computer Science*, pages 1–11. Springer, 2008.
- [Klahr *et al.*, 1987] David Klahr, Pat Langley, and Robert Neches, editors. *Production System Models of Learning and Development*. Bradford, 1987.
- [Klinov and Parsia, 2008] Pavel Klinov and Bijan Parsia. Optimization and evaluation of reasoning in probabilistic description logic: Towards a systematic approach. In Amit P. Sheth, Steffen Staab, Mike Dean, Massimo Paolucci, Diana Maynard, Timothy W. Finin, and Krishnaprasad Thirunarayan, editors, *The Semantic Web – ISWC 2008, 7th International Semantic Web Conference, ISWC 2008, Karlsruhe, Germany, October 26-30, 2008. Proceedings*, volume 5318 of *Lecture Notes in Computer Science*, pages 213–228. Springer, 2008.
- [Knorr *et al.*, 2011] M. Knorr, J.J. Alferes, and P. Hitzler. Local closed-world reasoning with description logics under the well-founded semantics. *Artificial Intelligence*, 175(9–10):1528–1554, 2011.
- [Knorr *et al.*, 2012] M. Knorr, P. Hitzler, and F. Maier. Reconciling OWL and non-monotonic rules for the Semantic Web. In L. De Raedt, C. Bessiere, D. Dubois, P. Doherty, P. Frasconi, F. Heintz, and P. Lucas, editors, *ECAI 2012, 20th European Conference on Artificial Intelligence, 27-31 August 2012, Montpellier, France*, volume 242 of *Frontiers in Artificial Intelligence and Applications*, pages 474–479. IOS Press, Amsterdam, 2012.
- [Krisnathi *et al.*, 2011] Adila Krisnathi, Frederick Maier, and Pascal Hitzler. OWL and rules. In Axel Polleres, Claudia d’Amato, Marcelo Arenas, Siegfried Handschuh, Paula Kroner, Sascha Ossowski, and Peter F. Patel-Schneider, editors, *Reasoning Web. Semantic Technologies for the Web of Data – 7th International Summer School 2011, Galway, Ireland, August 23-27, 2011, Tutorial Lectures*, volume 6848 of *Lecture Notes in Computer Science*, pages 382–415. Springer, 2011.

- [Krötzsch *et al.*, 2008] Markus Krötzsch, Sebastian Rudolph, and Pascal Hitzler. Description Logic Rules. In Malik Ghallab, Constantine D. Spyropoulos, Nikos Fakotakis, and Nikolaos M. Avouris, editors, *Proceeding of the 18th European Conference on Artificial Intelligence, Patras, Greece, July 21-25, 2008*, volume 178, pages 80–84, Amsterdam, The Netherlands, 2008. IOS Press.
- [Krötzsch *et al.*, 2011] Markus Krötzsch, Frederick Maier, Adila A. Krisnadhi, and Pascal Hitzler. A better uncle for OWL: Nominal schemas for integrating rules and ontologies. In S. Sadagopan, Krithi Ramamritham, Arun Kumar, M.P. Ravindra, Elisa Bertino, and Ravi Kumar, editors, *Proceedings of the 20th International World Wide Web Conference, WWW2011, Hyderabad, India, March/April 2011*, pages 645–654. ACM, New York, 2011.
- [Krötzsch, 2010] Markus Krötzsch. *Description Logic Rules*, volume 008 of *Studies on the Semantic Web*. IOS Press/AKA, 2010.
- [Lassila and Swick, 1999] Ora Lassila and Ralph R. Swick. Resource Description Framework (RDF) Model and Syntax Specification. W3C Recommendation, February 1999. <http://www.w3.org/TR/1999/REC-rdf-syntax-19990222/>.
- [Lassila and Swick, 2004] O. Lassila and R. R. Swick. *Resource Description Framework (RDF) Model and Syntax Specification*. W3C Recommendation 10 February 2004, 2004. Available from <http://www.w3.org/TR/REC-rdf-syntax/>.
- [Lehmann, 2009] Jens Lehmann. DL-Learner: learning concepts in description logics. *Journal of Machine Learning Research (JMLR)*, 10:2639–2642, 2009.
- [Lukasiewicz and Straccia, 2009] Thomas Lukasiewicz and Umberto Straccia. Description logic programs under probabilistic uncertainty and fuzzy vagueness. *Int. J. Approx. Reasoning*, 50(6):837–853, 2009.
- [Maier *et al.*, 2013] Frederick Maier, Yue Ma, and Pascal Hitzler. Paraconsistent OWL and related logics. *Semantic Web*, 4(4):395–427, 2013.
- [Mallea *et al.*, 2011] Alejandro Mallea, Marcelo Arenas, Aidan Hogan, and Axel Polleres. On Blank Nodes. In *Proceedings of the 10th International Semantic Web Conference (ISWC 2011)*, volume 7031 of *LNCS*. Springer, October 2011.
- [Manola *et al.*, 2004] Frank Manola, Eric Miller, and Brian McBride. RDF Primer. W3C Recommendation, February 2004. <http://www.w3.org/TR/rdf-primer/>.
- [Mazzieri and Dragoni, 2005] Mauro Mazzieri and Aldo Franco Dragoni. A Fuzzy Semantics for Semantic Web Languages. In Paulo Cesar G. da Costa, Kathryn B. Laskey, Kenneth J. Laskey, and Michael Pool, editors, *ISWC-URSW*, pages 12–22, 2005.
- [McGuinness *et al.*, 2002] Deborah L McGuinness, Richard Fikes, James Hendler, and Lynn Andrea Stein. DAML+OIL: an ontology language for the semantic web. *Intelligent Systems, IEEE*, 17(5):72–80, 2002.
- [Miles and Bechhofer, 2009] A. Miles and S. Bechhofer, editors. *SKOS Simple Knowledge Organization System Reference*. W3C Recommendation 18 August 2009, 2009. Available from <http://www.w3.org/TR/skos-reference>.
- [Minsky, 1975] Marvin Minsky. A framework for representing knowledge. In *The Psychology of Computer Vision*, pages 211–277. McGraw-Hill, 1975.
- [Motik and Horrocks, 2008] Boris Motik and Ian Horrocks. OWL datatypes: Design and implementation. In *The Semantic Web-ISWC 2008*, pages 307–322. Springer, 2008.
- [Motik and Rosati, 2010] B. Motik and R. Rosati. Reconciling description logics and rules. *Journal of the ACM*, 57(5), 2010.
- [Motik *et al.*, 2005] Boris Motik, Ulrike Sattler, and Rudi Studer. Query answering for OWL-DL with rules. *Journal of Web Semantics: Science, Services and Agents on the World Wide Web*, 3(1):41–60, 2005.
- [Motik *et al.*, 27 October 2009] B. Motik, B. Cuenca Grau, I. Horrocks, Z. Wu, A. Fokoue, and C. Lutz, editors. *OWL 2 Web Ontology Language: Profiles*. W3C Recommendation, 27 October 2009. Available at <http://www.w3.org/TR/owl2-profiles/>.
- [Motik, 2012] Boris Motik. Representing and querying validity time in rdf and owl: A logic-based approach. *J. Web Sem.*, 12:3–21, 2012.
- [Muñoz *et al.*, 2007] Sergio Muñoz, Jorge Pérez, and Claudio Gutierrez. Minimal Deductive Systems for RDF. In Enrico Franconi, Michael Kifer, and Wolfgang May, editors, *Proceedings of the 4th European Semantic Web Conference (ESWC 2007)*, volume 4519 of *LNCS*, pages 53–57, Innsbruck, Austria, June 2007.

- [Mutharaju *et al.*, 2013] Raghava Mutharaju, Pascal Hitzler, and Prabhaker Mateti. DistEL: A distributed EL+ ontology classifier. In Thorsten Liebig and Achille Fokoue, editors, *SSWS 2013, Scalable Semantic Web Knowledge Base Systems 2013. Proceedings of the 9th International Workshop on Scalable Semantic Web Knowledge Base Systems, co-located with the International Semantic Web Conference (ISWC 2013), Sydney, Australia, October 21, 2013*, volume 1046 of *CEUR Workshop Proceedings*, pages 17–32, 2013.
- [Nilsson *et al.*, 2008] Mikael Nilsson, Andy Powell, Pete Johnston, and Ambjörn Naeve. Expressing Dublin Core metadata using the Resource Description Framework (RDF). DCMI Recommendation, January 2008. <http://dublincore.org/documents/dc-rdf/>.
- [Noy and McGuinness, 2013] Natasha Noy and Deborah McGuinness, editors. *Final Report on the 2013 NSF Workshop on Research Challenges and Opportunities in Knowledge Representation, Arlington, VA, February 7-8, 2013*. National Science Foundation Workshop Report, 2013.
- [OWL Working Group, 11 December 2012] W3C OWL Working Group. *OWL 2 Web Ontology Language Manchester Syntax (Second Edition)*. W3C Working Group Note, 11 December 2012. Available at <http://www.w3.org/TR/owl2-manchester-syntax/>.
- [OWL Working Group, 27 October 2009] W3C OWL Working Group. *OWL 2 Web Ontology Language: Document Overview*. W3C Recommendation, 27 October 2009. Available at <http://www.w3.org/TR/owl2-overview/>.
- [Phillips and Davis, 2006] A. Phillips and M. Davis. Tags for identifying languages. Technical Report BCP 47, IETF, September 2006. <http://www.rfc-editor.org/rfc/bcp/bcp47.txt>.
- [Pichler *et al.*, 2008] Reinhard Pichler, Axel Polleres, Fang Wei, and Stefan Woltran. Entailment for domain-restricted RDF. In *Proceedings of the 5th European Semantic Web Conference (ESWC2008)*, volume 5021 of *LNCS*, pages 200–214, Tenerife, Spain, 2008. Springer.
- [Poggi *et al.*, 2008] Antonella Poggi, Domenico Lembo, Diego Calvanese, Giuseppe Giacomo, Maurizio Lenzerini, and Riccardo Rosati. Linking data to ontologies. In Stefano Spaccapietra, editor, *Journal on Data Semantics X*, volume 4900 of *LNS*, pages 133–173. Springer, 2008.
- [Polleres and Wallner, 2013] Axel Polleres and Johannes Wallner. On the relation between SPARQL1.1 and Answer Set Programming. *Journal of Applied Non-Classical Logics (JANCL)*, 23(1–2):159–212, 2013. Special issue on Equilibrium Logic and Answer Set Programming.
- [Polleres *et al.*, 2011] Axel Polleres, Claudia D’Amato, Marcelo Arenas, Siegfried Handschuh, Paula Kroner, Sascha Ossowski, and Peter Patel-Schneider, editors. *Reasoning Web. Semantic Technologies for the Web of Data. (ReasoningWeb 2011)*, volume 6848 of *LNCS*. Springer, August 2011.
- [Prud’hommeaux, 2008] Eric Prud’hommeaux. SPARQL Query Language for RDF. W3C Recommendation, January 2008. <http://www.w3.org/TR/rdf-sparql-query/>.
- [Przymusiński, 1988] Theodor C. Przymusiński. On the Declarative Semantics of Deductive Databases and Logic Programs. In Jack Minker, editor, *Foundations of Deductive Databases and Logic Programming*, pages 193–216. Morgan Kaufmann Publishers, Inc., 1988.
- [Roman *et al.*, 2005] Dumitru Roman, Uwe Keller, Holger Lausen, Jos de Bruijn, Rubén Lara, Michael Stollberg, Axel Polleres, Cristina Feier, Christoph Bussler, and Dieter Fensel. Web Service Modeling Ontology. *Applied Ontology*, 1(1):77–106, 2005.
- [Schlicht and Stuckenschmidt, 2010] Anne Schlicht and Heiner Stuckenschmidt. Peer-to-peer reasoning for interlinked ontologies. *Int. J. Semantic Computing*, 4(1):27–58, 2010.
- [Sengupta *et al.*, 2011] Kunal Sengupta, Adila Alfa Krisnadh, and Pascal Hitzler. Local Closed World Semantics: Grounded Circumscription for OWL. In Lora Aroyo, Chris Welty, Harith Alani, Jamie Taylor, Abraham Bernstein, Lalana Kagal, Natasha Fridman Noy, and Eva Blomqvist, editors, *The Semantic Web – ISWC 2011 – 10th International Semantic Web Conference, Bonn, Germany, October 23-27, 2011, Proceedings, Part I*, volume 7031 of *Lecture Notes in Computer Science*, pages 617–632. Springer, Heidelberg, 2011.
- [Smith *et al.*, 2004] Michael K. Smith, Chris Welty, and Deborah L. McGuinness, editors. *OWL Web Ontology Language Guide*. W3C Recommendation 10 February 2004, 2004. Available from <http://www.w3.org/TR/owl-guide/>.
- [Steigmiller *et al.*, 2013] Andreas Steigmiller, Birte Glimm, and Thorsten Liebig. Nominal schema absorption. In Francesca Rossi, editor, *IJCAI 2013, Proceedings of the 23rd International Joint Conference on Artificial Intelligence, Beijing, China, August 3-9, 2013*. IJCAI/AAAI, 2013.

- [Straccia, 2001] Umberto Straccia. Reasoning within fuzzy description logics. *J. Artif. Intell. Res. (JAIR)*, 14:137–166, 2001.
- [Straccia, 2009] Umberto Straccia. A Minimal Deductive System for General Fuzzy RDF. In Axel Polleres and Terrance Swift, editors, *Web Reasoning and Rule Systems, Third International Conference, RR 2009, Chantilly, VA, USA, October 25-26, 2009, Proceedings*, volume 5837 of *LNCIS*, pages 166–181. Springer, 2009.
- [Studer, 2006] Rudi Studer. The Semantic Web: Suppliers and customers. In Isabel F. Cruz, Stefan Decker, Dean Allemang, Chris Preist, Daniel Schwabe, Peter Mika, Michael Uschold, and Lora Aroyo, editors, *The Semantic Web – ISWC 2006, 5th International Semantic Web Conference, ISWC 2006, Athens, GA, USA, November 5-9, 2006, Proceedings*, volume 4273 of *Lecture Notes in Computer Science*, pages 995–996. Springer, 2006.
- [Tudorache et al., 2013] Tania Tudorache, Csongor Nyulas, Natalya Fridman Noy, and Mark A. Musen. Webprotégé: A collaborative ontology editor and knowledge acquisition tool for the web. *Semantic Web*, 4(1):89–99, 2013.
- [Udrea et al., 2010] Octavian Udrea, Diego Reforgiato Recupero, and V. S. Subrahmanian. Annotated RDF. *ACM Transactions on Computational Logic*, 11(2):1–41, 2010.
- [Urbani et al., 2011] Jacopo Urbani, Frank van Harmelen, Stefan Schlobach, and Henri E. Bal. Querypie: Backward reasoning for OWL Horst over very large knowledge bases. In Lora Aroyo, Chris Welty, Harith Alani, Jamie Taylor, Abraham Bernstein, Lalana Kagal, Natasha Fridman Noy, and Eva Blomqvist, editors, *The Semantic Web – ISWC 2011 – 10th International Semantic Web Conference, Bonn, Germany, October 23-27, 2011, Proceedings, Part I*, volume 7031 of *Lecture Notes in Computer Science*, pages 730–745. Springer, 2011.
- [Urbani et al., 2012] Jacopo Urbani, Spyros Kotoulas, Jason Maassen, Frank van Harmelen, and Henri E. Bal. WebPIE: A web-scale parallel inference engine using MapReduce. *Journal of Web Semantics*, 10:59–75, 2012.
- [Vaneková et al., 2005] Veronika Vaneková, Ján Bella, Peter Gurský, and Tomáš Horváth. Fuzzy RDF in the Semantic Web: Deduction and Induction. In *6th Slovak-Austrian Student Workshop WDA '05*, pages 16–29. Elfa Academic Press, Ltd, 2005.
- [W3C Metadata, revision of 23 August 2002] Metadata Activity Statement. <http://www.w3.org/Metadata/Activity>, revision of 23 August 2002.
- [W3C Semantic Web, revision of 19 June 2013] W3C Semantic Web Activity. <http://www.w3.org/2001/sw/>, revision of 19 June 2013.
- [Weaver and Hendler, 2009] Jesse Weaver and James A. Hendler. Parallel materialization of the finite RDFS closure for hundreds of millions of triples. In Abraham Bernstein et al., editors, *The Semantic Web – ISWC 2009, 8th International Semantic Web Conference, ISWC 2009, Chantilly, VA, USA, October 25-29, 2009*, volume 5823 of *Lecture Notes in Computer Science*, pages 682–697. Springer, 2009.
- [Web Ontology Working Group, 10 February 2004] Web Ontology Working Group. *OWL Web Ontology Language Overview*. W3C Recommendation, 10 February 2004. Available at <http://www.w3.org/TR/owl-features/>.
- [Zhou et al., 2012] Zhangquan Zhou, Guilin Qi, Chang Liu, Pascal Hitzler, and Raghava Mutharaju. Reasoning with Fuzzy-EL+ ontologies using MapReduce. In Luc De Raedt, Christian Bessière, Didier Dubois, Patrick Doherty, Paolo Frasconi, Fredrik Heintz, and Peter J. F. Lucas, editors, *ECAI 2012 – 20th European Conference on Artificial Intelligence. Including Prestigious Applications of Artificial Intelligence (PAIS-2012) System Demonstrations Track, Montpellier, France, August 27-31, 2012*, volume 242 of *Frontiers in Artificial Intelligence and Applications*, pages 933–934. IOS Press, 2012.
- [Zimmermann et al., 2012] Antoine Zimmermann, Nuno Lopes, Axel Polleres, and Umberto Straccia. A general framework for representing, reasoning and querying with annotated semantic web data. *Journal of Web Semantics (JWS)*, 12:72–95, March 2012.